

Table of Contents

17.07.04 - SAFETY RULES FOR ELEVATORS AND ESCALATORS -- CONSTRUCTION, REPAIR, ALTERATION, OR DISMANTLING

000. LEGAL AUTHORITY.	2
001. TITLE AND SCOPE.	2
002. WRITTEN INTERPRETATIONS.	2
003. ADMINISTRATIVE APPEALS.	2
004. -- 008. (RESERVED).	2
009. ABBREVIATIONS.	2
010. DEFINITIONS.	2
011. CONSTRUCTION, REPAIR, ALTERATION, OR DISMANTLING.	2
012. -- 999. (RESERVED).	2

**IDAPA 17
TITLE 07
Chapter 04**

**17.07.04 - SAFETY RULES FOR ELEVATORS AND ESCALATORS --
CONSTRUCTION, REPAIR, ALTERATION, OR DISMANTLING**

000. LEGAL AUTHORITY.

These rules are promulgated pursuant to the authority granted the Industrial Commission by Sections 72-508, 72-720, 72-721, 72-722, and 72-723, Idaho Code. (7-1-97)

001. TITLE AND SCOPE.

These rules shall be cited as IDAPA 17.07.04, Safety Rules for Elevators and Escalators - Construction, Repair, Alteration, or Dismantling, and shall be applicable to all persons engaged in the design, construction, installation, operation, inspection, testing, maintenance, alteration and repair of elevators, dumbwaiters, moving walks, material lifts, wheelchair lifts, stairway chair-lifts, and escalators. (7-1-97)

002. WRITTEN INTERPRETATIONS.

There are no written statements which pertain to the interpretation of these rules. (7-1-97)

003. ADMINISTRATIVE APPEALS.

There are no provisions for administrative appeal of these rules. The procedures for appeals in safety matters is prescribed by Sections 72-714 and 72-718 through 72-722, Idaho Code. (7-1-97)

004. -- 008. (RESERVED).

009. ABBREVIATIONS.

For abbreviations refer to IDAPA 17.07.01, Section 011. (7-1-97)

010. DEFINITIONS.

For definitions refer to IDAPA 17.07.01, Section 010. (7-1-97)

011. CONSTRUCTION, REPAIR, ALTERATION, OR DISMANTLING.

01. Requirements. (7-1-97)

a. Only persons who are qualified by virtue of training and experience shall construct, repair, alter, or dismantle elevators, dumbwaiters, moving walks, material lifts, wheelchair lifts, stairway chair-lifts, and escalators. EXCEPTION. An apprentice while under the direct supervision of a qualified journeyman. (7-1-97)

b. Elevators, dumbwaiters, moving walks, material lifts, wheelchair lifts, stairway chair-lifts, and escalators that are under maintenance, repair, inspection, alteration, construction, being dismantled, or are otherwise out of service shall have their points of entry appropriately barricaded and signed. Additionally mechanical rooms/spaces or controllers shall be appropriately signed. (7-1-97)

02. Safety Devices. (7-1-97)

a. No person shall attempt to remove or do any work on any safety device until the elevator, dumbwaiter, moving walk, material lift, wheelchair lift, stairway chair-lift, or escalator is removed from service. (7-1-97)

b. No person shall alter any safety device in any manner to render it ineffective except as part of a required test or during an inspection procedure. (7-1-97)

012. -- 999. (RESERVED).