

Table of Contents

07.04.02 - Safety Rules for Elevators, Escalators, and Moving Walks

000. Legal Authority.	2
001. Title And Scope.	2
002. Written Interpretations.	2
003. Administrative Appeals.	2
004. Incorporation By Reference.	2
005. Division Office Information.	2
006. Public Records Act Compliance.	2
007. -- 009. (Reserved).	2
010. Definitions.	2
011. Inspection Requirements.	3
012. Approval Of New Or Alternative Technology.	3
013. -- 999. (Reserved).	3

**IDAPA 07
TITLE 04
CHAPTER 02**

07.04.02 - SAFETY RULES FOR ELEVATORS, ESCALATORS, AND MOVING WALKS

000. LEGAL AUTHORITY.

This chapter is adopted by the administrator of the Division of Building Safety in accordance with Section 39-8605, Idaho Code. (4-6-05)

001. TITLE AND SCOPE.

01. Title. These rules shall be cited as IDAPA 07.04.02, "Safety Rules for Elevators, Escalators, and Moving Walks." (4-6-05)

02. Scope. These rules govern the design, construction, installation, operation, inspection, testing, maintenance, alteration, or repair of elevators, escalators, moving walks, platform lifts, material lifts, and dumbwaiters. (4-6-05)

002. WRITTEN INTERPRETATIONS.

There are no written statements which pertain to the interpretation of these rules. (4-6-05)

003. ADMINISTRATIVE APPEALS.

There are no administrative appeals provided for herein. (4-6-05)

004. INCORPORATION BY REFERENCE.

There are no documents incorporated by reference into these rules. (4-6-05)

005. DIVISION OFFICE INFORMATION.

01. Office Hours. The office is open from 8 a.m. until 5 p.m. daily, except Saturday, Sunday, and legal holidays. (4-6-05)

02. Street Address. The office is located at 1090 E. Watertower Street, Meridian, Idaho. (4-6-05)

03. Mailing Address. The office mailing address is Division of Building Safety, 1090 E. Watertower Street, Meridian, Idaho 83642. (4-6-05)

04. Telephone Number. The office telephone number is (208) 334-3950. (4-6-05)

05. Facsimile Number. The office facsimile number is (208) 855-9494. (4-6-05)

06. Internet Address. The Division's Internet website address is <http://www2.state.id.us/dbs/>. (4-6-05)

006. PUBLIC RECORDS ACT COMPLIANCE.

Division records are subject to the provisions of the Idaho Public Records Act, Title 9, Chapter 3, Idaho Code. (4-6-05)

007. -- 009. (RESERVED).

010. DEFINITIONS.

01. Act. The Elevator Safety Code Act, Title 39, Chapter 86, Idaho Code. (4-6-05)

02. Administrator. The administrator of the Division of Building Safety. (4-6-05)

03. Division. The Division of Building Safety. (4-6-05)

011. INSPECTION REQUIREMENTS.

Before a required inspection may take place: (4-6-05)

01. Access. All machine rooms and spaces shall be free of dirt and debris and any obstacles to access must be removed. (4-6-05)

02. Technician on Site. An elevator technician and fire alarm technician must be present on site to restore elevator and fire alarm systems. (4-6-05)

03. Installation. The elevator installation must be complete and safe for inspection. (4-6-05)

012. APPROVAL OF NEW OR ALTERNATIVE TECHNOLOGY.

01. Administrator Approval Required. If, due to construction or technological impediments, an elevator or conveyance cannot comply with applicable code requirements, approval of new or alternative construction or technology may be requested from the administrator. (4-6-05)

02. Approval Required Prior to Construction. Approval of new or alternative technology must be obtained from the administrator before construction is commenced. (4-6-05)

03. Submission Deadline. Details of the proposed construction or technology, including design, material specifications and calculations, and such other information as may be requested, shall be submitted to the administrator at least thirty (30) days in advance of the anticipated construction start date. (4-6-05)

a. The manufacturer of the new product or system shall provide the administrator with engineering and test data demonstrating that the proposed technology is safe for the intended purpose. (4-6-05)

b. The owner of the new product or system shall provide the administrator with a document in which the owner acknowledges that the proposed technology is not governed by the applicable safety code and assures the administrator that, at such time as the code is revised to include the product or system, the owner shall modify the product or system to bring it into compliance. The owner shall assure the administrator that if the product or system cannot be modified or altered to bring it into compliance with the applicable code it will be removed and replaced with code-compliant equipment. (4-6-05)

c. The manufacturer of the new product or system shall provide Division personnel with training about the proposed technology and any related products or systems at no cost to the Division. (4-6-05)

04. Engineer Approval. The information provided in compliance with the foregoing requirements shall be approved by a registered professional engineer experienced in elevator or conveyance design prior to submission to the administrator. (4-6-05)

013. -- 999. (RESERVED).

Subject Index

A

Access, Inspection Requirements 3
Administrator Approval Required, New
or Alternative Technology 3
Approval Of New Or Alternative
Technology 3
Approval Required Prior to
Construction, New or Alternative
Technology 3

D

Definitions, IDAPA 17.07.01, Safety
Rules For Elevators, Escalators, &
Moving Walks 2

E

Engineer Approval, New or Alternative
Technology 3

I

Inspection Requirements 3
Installation, Inspection
Requirements 3

S

Submission Deadline, New or
Alternative Technology 3

T

Technician on Site, Inspection
Requirements 3