Table of Contents

02.04	.29 -	Rules	Governi	na Tri	chomo	niasis

000.	Legal Authority.	2
001.	Title And Scope.	2
002.	Written Interpretations.	2
003.	Administrative Appeal.	2
004.	Incorporation By Reference.	2
	Address, Office Hours, Telephone, And Fax Numbers	
	Idaho Public Records Act Compliance.	
007.	009. (Reserved)	2
010.	Definitions.	2
011.	- 099. (Reserved)	4
100.	Trichomoniasis Control And Eradication Program	4
101.	- 109. (Reserved)	4
110.	Trichomoniasis Testing Identification.	4
	199. (Reserved)	
200.	Bulls For Sale.	5
201.	209. (Reserved)	5
	Imported Bulls.	
211.	- 299. (Reserved)	6
300.	Public Grazing.	6
	309. (Reserved)	
310.	Infected Bulls And Herds.	6
311.	319. (Reserved)	7
320.	Movement Of Infected Cattle.	7
321.	Treatment Of Infected Bulls.	7
322.	329. (Reserved)	7
330.	Official Laboratories.	7
331.	Official Trichomoniasis Tests.	8
	Registered Veterinarians.	
	Reporting Of Test Results And Official Identification.	
	399. (Reserved)	
400.	Rodeo Bulls.	8
	409. (Reserved)	
	Feeding Bulls Of Unknown Trichomoniasis Status.	
	499. (Reserved)	
	Infections With Other Types Of Trichomonads.	
501.	989. (Reserved)	9
990.	Penalties.	9
991.	998. (Reserved)	9
999.	Minor Violations.	9

IDAPA 02 TITLE 04 CHAPTER 29

02.04.29 - RULES GOVERNING TRICHOMONIASIS

000. LEGAL AUTHORITY.

This chapter is adopted under the legal authority of Title 25, Chapter 2, Idaho Code.

(3-30-07)

001. TITLE AND SCOPE.

01. Title. The title of this chapter is "Rules Governing Trichomoniasis."

(3-30-07)

O2. Scope. This chapter has the following scope: These rules shall govern procedures for the prevention, control and eradication of Trichomoniasis, a venereal disease of cattle caused by the organism *Tritrichomonas foetus*. The official citation of this chapter is IDAPA 02.04.29.000 et.seq. For example, this Section's citation is IDAPA 02.04.29.001. (3-30-07)

002. WRITTEN INTERPRETATIONS.

There are no written interpretations of these rules.

(3-30-07)

003. ADMINISTRATIVE APPEAL.

Persons may be entitled to appeal agency actions authorized under theses rules pursuant to Title 67, Chapter 52, Idaho Code. (3-30-07)

004. INCORPORATION BY REFERENCE.

- **01. Incorporated Document**. IDAPA 02.04.29 incorporates by reference the official Idaho "Protocol for *Trichomonas foetus* Diagnosis in Cattle" which can be viewed online at http://www.agri.idaho.gov/AGRI/Categories/Animals/Documents/trich_protocol.pdf. (4-7-11)
- **02. Availability of Document.** Copies of this document may be obtained from the Idaho State Department of Agriculture. (3-30-07)

005. ADDRESS, OFFICE HOURS, TELEPHONE, AND FAX NUMBERS.

- **01. Physical Address**. The central office of the Idaho State Department of Agriculture, Division of Animal Industries is located at 2270 Old Penitentiary Road, Boise, Idaho 83712-0790. (3-30-07)
- **02. Office Hours**. Office hours are 8 a.m. to 5 p.m., Mountain Time, Monday through Friday, except holidays designated by the state of Idaho. (3-30-07)
- **03. Mailing Address**. The mailing address for the Idaho State Department of Agriculture, Division of Animal Industries at the central office is Idaho State Department of Agriculture, P.O. Box 790, Boise, Idaho 83701.
- **04. Telephone Number**. The telephone number of the Idaho State Department of Agriculture, Division of Animal Industries at the central office is (208) 332-8540. (3-30-07)
- **05. Fax Number**. The fax number of the Idaho State Department of Agriculture, Division of Animal Industries at the central office is (208) 334-4062. (3-30-07)

006. IDAHO PUBLIC RECORDS ACT COMPLIANCE.

These rules are subject to and in compliance with the Public Records Act and are available for inspection and copying at the Idaho State Department of Agriculture, Division of Animal Industries. (3-30-07)

007. -- 009. (RESERVED)

010. **DEFINITIONS.**

IDAHO ADMINISTRATIVE CODE Department of Agriculture

IDAPA 02.04.29 Rules Governing Trichomoniasis

As used in these rules the following terms have the following meanings:

(3-30-07)

- **01. Administrator**. The administrator of the Division of Animal Industries, Idaho State Department of Agriculture or his designee. (3-30-07)
 - **02.** Cattle. All bovidae. (3-30-07)
 - **O3. Department**. The Idaho State Department of Agriculture.

- (3-30-07)
- **O4. Division of Animal Industries**. Idaho State Department of Agriculture, Division of Animal Industries. (3-30-07)
- **05. Exposed Cattle**. Any cattle that have been in contact with cattle infected with, or affected by Trichomoniasis. (3-30-07)
- **06. Federal Animal Health Official**. An employee of the United States Department of Agriculture, Animal and Plant Health Inspection Service, Veterinary Services who is authorized to perform animal health activities. (3-30-07)
- **07. Herd.** A herd is any group of cattle maintained on common ground for any purpose, or two (2) or more groups of cattle under common ownership or supervision, geographically separated, but which have an interchange or movement of cattle without regard to whether they are infected with or exposed to Trichomoniasis. (3-30-07)
- **08. Hold Order.** A hold order is a form of quarantine that may be used to restrict the movement of cattle while the Trichomoniasis status is being investigated. (3-30-07)
- **09. Infected Cattle.** Any cattle determined by an official test or diagnostic procedure to be infected with Trichomoniasis or diagnosed by a veterinarian as infected. (3-30-07)
- **10. Infected Herd**. Any herd in which any cattle have been determined by an official test or diagnostic procedure to be infected with Trichomoniasis or diagnosed by a veterinarian as being infected. (3-30-07)
- 11. Negative. Cattle that have been tested with official test procedures and found to be free from infection with Trichomoniasis. (3-30-07)
 - 12. PCR. Polymerase Chain Reaction. (3-25-16)
- **13. Positive.** Cattle that have been tested with official test procedures and found to be infected with Trichomoniasis. (3-30-07)
- **14. Quarantine.** A written order, or a verbal order followed by a written order, executed by the Administrator, to confine or hold cattle on a premises or any other location, and to prevent movement of cattle from a premises or any other location when the Administrator has determined that the cattle have been found or are suspected to be exposed to or infected with Trichomoniasis, or the owner is not in compliance with the provisions of this chapter. (3-30-07)
- **15. Quarantined.** Isolation of all cattle diseased or exposed thereto, from contact with healthy cattle and exclusion of such healthy cattle from enclosures or grounds where said diseased or exposed cattle are, or have been kept. (3-30-07)
- **16. Registered Veterinarians**. Veterinarians registered with, and approved by the Division of Animal Industries to collect Trichomoniasis samples for official Trichomoniasis culture testing. (3-30-07)
- **17. Restrain**. The confinement of cattle in a chute, or other device, for the purpose of efficient, effective, and safe testing approved by the Administrator. (3-30-07)

Section 006 Page 3 IAC Archive 2017

- **18. State Animal Health Official**. The Administrator, or his designee, responsible for disease control and eradication activities. (3-30-07)
- **19. T Brand**. A two inch by three inch (2" x 3") single-character hot iron T brand, applied to the left of the tail-head of a bull, signifying that the bull is infected with trichomoniasis. (4-7-11)
 - **20. Trichomoniasis.** A venereal disease caused by the organism *Tritrichomonas foetus*. (4-2-08)

011. – 099. (RESERVED)

100. TRICHOMONIASIS CONTROL AND ERADICATION PROGRAM.

The Trichomoniasis testing season shall begin on September 1 of each year and continue until August 31 of the succeeding year. All bulls within the state of Idaho shall be tested negative for Trichomoniasis before being allowed to come into contact with female cattle or by April 15 of each Trichomoniasis testing season, whichever occurs first, except:

(3-30-07)

- **01. Bulls in Public Grazing Allotments**. Bulls that are to be turned out on public grazing allotments shall be tested for Trichomoniasis by April 15 of each Trichomoniasis testing season or forty-five (45) days prior to turnout on a public grazing allotment, which ever occurs first. (3-30-07)
- **02. Virgin Bulls**. All bulls native to Idaho that are less than twenty-four (24) months of age, which have never serviced a cow shall be exempt from the Trichomoniasis testing requirements. (4-7-11)
- **a.** Such bulls shall be identified by a registered veterinarian with an official Trichomoniasis bangle tag of the correct color for the current testing season and the identification recorded on a Trichomoniasis Test and Report Form. (3-30-07)
- **b.** If sold, such bulls shall be accompanied by a certificate signed by the owner or his representative attesting that they are virgin bulls. (3-30-07)
- **O3. Dairy Bulls**. All dairy bulls in dry lot operations shall be exempt from the Trichomoniasis testing requirements. Dairy bulls that are pastured or grazed must meet the Trichomoniasis testing requirements. (3-30-07)
- **04. Bulls Consigned to Slaughter or to an Approved Feedlot**. Bulls consigned directly to slaughter at an approved slaughter establishment or to an approved feedlot for finish feeding for slaughter are exempt from testing requirements. (3-30-07)
- **05. Extension of Testing Deadline**. The Administrator may grant an extension of time beyond April 15 to accomplish Trichomoniasis testing after the owner submits a written request for extension of time to the Division of Animal Industries. (3-30-07)
- **a.** The written request shall outline the reasons for the extension request and the length of extended time being requested. (3-30-07)
- **b.** The herd of bulls shall be put under Hold Order until the owner furnishes documentation that the bulls have been tested. (3-30-07)

101. – 109. (RESERVED)

110. TRICHOMONIASIS TESTING IDENTIFICATION.

The Division of Animal Industries shall determine the color of the official Trichomoniasis bangle tags to be used for each Trichomoniasis testing season. All bulls tested for Trichomoniasis shall be identified by an official Trichomoniasis bangle tag of the correct color for the current testing season and the identification recorded on a Trichomoniasis Test and Report Form. (3-30-07)

111. -- 199. (RESERVED)

Section 100 Page 4 IAC Archive 2017

200. BULLS FOR SALE.

Bulls presented for sale at specifically approved livestock markets, shows, special sales, or by private contract in Idaho shall be accompanied by a certificate of negative test and a statement signed by the owner certifying "Trichomoniasis has not been diagnosed in the herd of origin;" or (3-30-07)

- **01. Returned to Home Premises.** Such bulls shall be returned to home premises for official testing; or (4-2-08)
- **O2. Sold Directly to Slaughter**. Such bulls shall be sold directly to slaughter at an approved slaughter establishment, an Idaho approved feedlot, as defined in IDAPA 02.04.20, "Rules Governing Brucellosis"; or (4-7-11)
- **O3.** Placed Under a Hold Order. Such bulls shall be placed under Hold Order by the livestock market veterinarian or a private veterinarian and shall have three (3) consecutive negative Trichomoniasis or PCR culture tests. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certificate of negative test; or (3-25-16)
- **04. Virgin Bulls**. Virgin bulls native to Idaho that are less than twenty-four (24) months of age, which have never serviced a cow shall be identified with an official Trichomoniasis bangle tag of the correct color for the current testing season. (4-7-11)
- **05. Period of Validity**. For resident breeding bulls sold in Idaho, the negative test shall be valid for up to ninety (90) days provided the bull(s) has had no contact with female cattle from the time of test to the time of sale. (3-30-07)
- **06. Contact with Female Cattle**. Bulls that have had contact with female cattle subsequent to testing must be retested prior to sale. (3-30-07)

201. -- 209. (RESERVED)

210. IMPORTED BULLS.

- **01. Non-Virgin Bulls**. Non-virgin breeding bulls may be imported into the state of Idaho provided they meet the following requirements: (3-30-07)
- **a.** If the bull originates from a herd of bulls wherein all bulls have tested negative for Trichomoniasis since being removed from cows, the bull shall have been tested negative to a Trichomoniasis culture test within sixty (60) days prior to import and shall have had no contact with female cattle from the time of test to the time of import; or (3-25-16)
- **b.** If the bull originates from a herd where one (1) or more bulls or cows have been found infected with Trichomoniasis, the bull shall have three (3) consecutive negative Trichomoniasis culture or PCR tests. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis, the last test being within sixty (60) days prior to import into Idaho; or (3-25-16)
- c. If the bull is a single bull with no prior herd test history or originates from a herd of bulls that is still with cows or that has not been tested for Trichomoniasis since being removed from cows, the bull shall have three (3) consecutive negative Trichomoniasis culture or PCR tests. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis, the last test being within sixty (60) days prior to import into Idaho.

 (3-25-16)
- **d.** Upon arrival at their destination in Idaho, all imported bulls shall be identified with an official Trichomoniasis bangle tag of the correct color for the current testing season, except imported dairy bulls that will be in a dry lot operation are not required to be identified with an official Trichomoniasis tag upon arrival at their destination. (3-30-07)
 - **02. Virgin Bulls.** Bulls imported into Idaho that are less than eighteen (18) months of age which have

Section 200 Page 5 IAC Archive 2017

never serviced a cow are not required to be Trichomoniasis tested prior to import into Idaho, provided that: (3-25-16)

- **a.** Such bulls shall be accompanied by a certificate signed by the owner or the owner's representative attesting that the animals are virgin bulls and have never serviced a cow; and (3-30-07)
- **b.** Upon arrival at their destination in Idaho, such bulls shall be identified by an Idaho accredited veterinarian with an official Trichomoniasis bangle tag of the correct color for the current testing season. (3-30-07)
- **03. Bulls for Grazing**. Bulls that are entering Idaho for grazing purposes shall meet the Trichomoniasis test requirements of Section 100 of this rule. A copy of the certificate of negative Trichomoniasis test shall accompany the grazing permit application. (4-2-08)

211. - 299. (RESERVED)

300. PUBLIC GRAZING.

All bulls that are turned out on public grazing allotments shall be certified and identified as virgin bulls, or tested negative for Trichomoniasis at least forty-five (45) days prior to the turnout date, or before April 15 of each testing season, which ever occurs first. (4-2-08)

- **01. Grazing Associations**. All bulls that are in a public grazing association or run in common on an allotment shall be considered part of one (1) herd. (3-30-07)
- **O2. Positive Tests.** If any bull owned by any of the producers in a grazing association or allotment tests positive on a Trichomoniasis test, the rest of the producers in the association or allotment shall be considered part of an infected bull herd and handled in accordance with Section 310 of this rule. (4-2-08)

301. -- 309. (RESERVED)

310. INFECTED BULLS AND HERDS.

Any bull or cow that is positive to a Trichomoniasis culture or PCR test shall be considered infected. A herd in which one (1) or more bulls or cows are found infected with Trichomoniasis shall be considered infected. (3-25-16)

- **O1.** Confirmatory Testing of Culture Positive Bulls. Any culture positive bull must be confirmed positive for Trichomonas foetus by Polymerase Chain Reaction (PCR) test unless the animal is destined directly to slaughter. The positive culture specimen shall be submitted to a qualified laboratory, approved by the Administrator, in accordance with the qualified laboratories submission requirements. (3-25-16)
- **a.** If polymerase chain reaction (PCR) determines the bull is positive or inconclusive for *Trichomonas foetus*, the bull will be considered positive for trichomoniasis. (4-7-11)
- **b.** If polymerase chain reaction (PCR) determines the bull is negative for *Trichomonas foetus*, the bull will be considered negative for trichomoniasis. (4-7-11)
- **Quarantine of Infected Herds**. Any veterinarian that discovers an infected herd shall immediately place the herd under a Hold Order, and notify the Division of Animal Industries within forty-eight (48) hours that the test was positive. Upon notification of an infected Trichomoniasis herd, a state or federal animal health official shall conduct an epidemiological investigation of the infected herd and issue a quarantine. The quarantine may include a provision requiring all breeding age female cattle in the infected herd to be held in isolation from all bulls for a period of up to one hundred twenty (120) days as determined by the Administrator. (3-30-07)
- **03. Exposed Herds**. Herds identified as exposed through an epidemiological investigation shall be placed under a Hold Order. (3-30-07)
 - **a.** Bulls in exposed herds shall be tested as determined by the Trichomoniasis epidemiologist. (3-30-07)
 - **b.** All bulls tested in exposed herds and all purchased and home raised additions to the bull herd,

Section 300 Page 6 IAC Archive 2017

including virgin bulls, shall be individually identified with an official Trichomoniasis bangle tag of the correct color for the current testing season and the tag number and status of the bull shall be recorded on an official Trichomoniasis test and report form.

(3-30-07)

- **104. Testing of Infected Herds**. Bulls in infected herds shall be tested negative for Trichomoniasis three (3) consecutive times before the quarantine can be released. Each of the tests shall be at least seven (7) days apart. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certificate of negative test. (3-25-16)
- **a.** All bulls tested in the infected herd and all purchased and home raised additions to the bull herd, including virgin bulls, shall be individually identified with an official Trichomoniasis bangle tag of the correct color for the current testing season and the tag number and status of the bull shall be recorded on an official Trichomoniasis test and report form. (3-30-07)
- **b.** Bulls that have three (3) consecutive negative Trichomoniasis culture or PCR tests conducted at least seven (7) days apart shall be considered negative to Trichomoniasis and can be so certified. (3-25-16)
- **05. Identifying Infected Bulls.** All bulls testing positive for trichomoniasis shall, within seven (7) days of diagnosis, be identified with a hot iron T brand applied to the left of the tail-head indicating that the bull is positive for trichomoniasis. (4-7-11)

311. -- 319. (RESERVED)

320. MOVEMENT OF INFECTED CATTLE.

All infected cattle shall be consigned to slaughter at an approved slaughter establishment or consigned to a specifically approved livestock market for sale to an approved slaughter establishment and shall remain under quarantine until moved to slaughter. All infected cattle being moved from the premise of origin to a specifically approved livestock market for sale to slaughter, or directly to an approved slaughter establishment for slaughter, shall move on a VS 1-27 form issued by an accredited veterinarian or a state or federal animal health official. (4-2-08)

- **01. Slaughter Within Thirty Days.** All infected cattle shall be moved to slaughter within thirty (30) days of the issuance of the quarantine. All infected cattle shall be kept separate and apart from cattle or domestic bison of the opposite sex. The infected cattle will remain under quarantine until moved to slaughter. (4-2-08)
- **02. Exceptions**. The Division of Animal Industries may grant an extension of time after the owner submits a written request for extension of time for movement to slaughter to the Division of Animal Industries.

 (3-30-07)
- **O3.** Contents of Request for Extension of Time. The written request shall outline the reasons for the extension request and the length of extended time being requested. The total length of time an individual infected bull may remain under quarantine before being required to move to slaughter, including any and all requested extensions, shall not exceed ninety (90) days.

 (3-30-07)

321. TREATMENT OF INFECTED BULLS.

There are no treatments for Trichomoniasis approved for use in Idaho.

(3-30-07)

322. -- 329. (RESERVED)

330. OFFICIAL LABORATORIES.

Only laboratories approved by the Division of Animal Industries as official laboratories shall test official Trichomoniasis samples. (3-30-07)

- **01. Protocols**. Official laboratories shall operate in accordance with the official Idaho "Protocol for *Trichomonas foetus* Diagnosis in Cattle." (4-7-11)
- **02.** Check Test. Official laboratories personnel responsible for conducting trichomoniasis testing must be trained and certified by ISDA in the detection of trichomonad organisms and must pass a certifying check test

Section 320 Page 7 IAC Archive 2017

IDAHO ADMINISTRATIVE CODE Department of Agriculture

IDAPA 02.04.29 Rules Governing Trichomoniasis

administered by the Division of Animal Industries.

(4-7-11)

331. OFFICIAL TRICHOMONIASIS TESTS.

01. Official Culture Tests. An official test is one in which the sample is received in the official laboratory, in good condition, and such sample is tested according to the official Idaho "Protocol for *Trichomonas foetus* Diagnosis in Cattle." Samples which have been frozen or exposed to high temperatures shall be discarded.

02. Polymerase Chain Reaction. Polymerase Chain Reaction is accepted as an official test when completed by a qualified laboratory, approved by the Administrator. (3-25-16)

Other Official Tests. Other tests for Trichomoniasis may be approved by the Division of Animal Industries, as official tests, after the tests have been proven effective by research, have been evaluated sufficiently to determine efficacy, and a protocol for use of the test has been established. (3-30-07)

332. REGISTERED VETERINARIANS.

Only veterinarians registered with the Division of Animal Industries shall collect samples for official tests for Trichomoniasis within the state of Idaho. (3-30-07)

- **01. Use of Official Laboratories**. Registered veterinarians shall only utilize official laboratories for testing of Trichomoniasis samples. (3-25-16)
- **02. Education Requirements.** All veterinarians shall attend an educational seminar on Trichomoniasis and proper sample collection techniques, conducted by the Division of animal Industries, prior to being granted registered status. (3-30-07)

333. REPORTING OF TEST RESULTS AND OFFICIAL IDENTIFICATION.

Registered veterinarians shall submit results of all Trichomoniasis tests and all official identification on official Trichomoniasis test and report forms to the Division of Animal Industries within five (5) business days of: (3-30-07)

- **01.** Receiving Results. Receiving Trichomoniasis results from an official laboratory; or (3-30-07)
- **02. Identifying Virgin Bulls**. Identifying virgin bulls with official Trichomoniasis bangle tags.

(3-30-07)

334. -- 399. (RESERVED)

400. RODEO BULLS.

Bulls currently in a rodeo string, bulls purchased under the feedlot exemption at a specifically approved livestock market, bulls purchased by private treaty, and bulls purchased in other states and imported into Idaho for rodeo purposes are exempt from Trichomoniasis testing under the following conditions:

(3-30-07)

- **01. Division Approval**. The owner of the rodeo bulls has completed and submitted an application to the Division of Animal Industries, which the Division has approved; and (3-30-07)
- **02. Not Mixed with Cows**. The rodeo bulls are confined to a dry lot and not mixed with cows or used for breeding purposes; and (3-30-07)
- **03. Permanently Identified.** All bulls in the rodeo string are permanently identified with official ear tags or unique numbers hot iron branded on the animal; and (3-30-07)
- **04. Records Maintained.** The identification numbers are maintained in a permanent record file at the owner's premises and a copy of the record will be provided to the Division of Animal Industries upon request; and (3-30-07)
 - **05. Bulls Purchased.** Bulls purchased for addition to the rodeo string shall meet all other health

requirements. Purchased bulls shall be immediately identified as specified in Subsection 400.03 of this rule. Official back tag and ear tag numbers on the bull at time of purchase shall be correlated to the permanent identification in the permanent record; and (4-2-08)

- **06. Bulls Removed for Slaughter**. Removal of bulls to slaughter is documented in the permanent record file; and (3-30-07)
- **O7. Bulls Removed for Breeding Purposes**. Bulls that are removed from the rodeo string for breeding purposes shall undergo three (3) consecutive negative PCR tests or cultures for Trichomoniasis. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certificate of negative test. (3-25-16)

401. -- 409. (RESERVED)

410. FEEDING BULLS OF UNKNOWN TRICHOMONIASIS STATUS.

Bulls of unknown Trichomoniasis status may be fed for slaughter in an Idaho approved feedlot where the bulls are isolated from all female cattle. (3-30-07)

- **01. Removal of Untested Bulls**. Untested bulls shall be sold directly to slaughter at an approved slaughter establishment. (3-30-07)
- **02. Removal of Bulls for Breeding Purposes**. Bulls that are removed for breeding purposes shall undergo three (3) consecutive negative PCR tests or cultures for Trichomoniasis. The samples for each test shall be collected at least seven (7) days apart and tested for Trichomoniasis to be eligible to receive a certificate of negative test.

 (3-25-16)

411. -- 499. (RESERVED)

500. INFECTIONS WITH OTHER TYPES OF TRICHOMONADS.

Bulls that have had a positive culture result for Trichomoniasis testing may be further evaluated to determine if the organism is *Tritrichomonas foetus* or another species of Trichomonad. Bulls having positive Trichomoniasis culture results on the initial test will not be considered positive for Trichomoniasis under the provisions of this rule if they meet the following criteria: (3-30-07)

- **O1. Trichomonad Organisms Identified.** The culture media containing the organisms that have been collected from the bull is forwarded to a laboratory, approved by the Administrator, that has the ability to identify Trichomonad organisms through Polymerase Chain Reaction; and (4-2-08)
- **O2. Tritrichomonas foetus Not Present**. None of the Trichomonad organisms in the submitted culture are identified as *Tritrichomonas foetus*. (3-30-07)
- **O3. Inconclusive Test Results**. The Administrator may approve retesting of bulls with inconclusive Trichomoniasis test results. If the bulls are found to be Trichomoniasis negative on three (3) consecutive tests that are separated by at least seven (7) days, the bulls may be considered Trichomoniasis negative and released from quarantine. (4-2-08)

501. -- 989. (**RESERVED**)

990. PENALTIES.

Penalties for violations of this chapter shall be assessed in accordance with Title 25, Chapter 2, Idaho Code.

(3-30-07)

991. -- 998. (RESERVED)

999. MINOR VIOLATIONS.

Nothing in this chapter shall be construed as requiring the Administrator to report minor violations when the Administrator believes that the public interest will be best served by suitable warnings or other administrative action.

(3-30-07)

Section 410 Page 9 IAC Archive 2017

Subject Index

В	M
Bulls For Sale	Movement Of Infected Animals
Contact with Female Cattle 5	Contents of Request for Extension
Period of Validity 5	of Time 7
Placed Under a Hold Order 5	Exceptions 7
Returned to Home Premises 5	Slaughter Within Thirty Days 7
Sold Directly to Slaughter 5	0
Virgin Bulls 5	•
D	Official Laboratories Check Test 7
Definitions, IDAPA 02.04.29	Protocols 7
Administrator 3	Official Trichomoniasis Tests
Cattle 3	Official Culture Tests 8
Department 3	Other Official Tests 8
Division of Animal Industries 3	Polymerase Chain Reaction 8
Exposed Cattle 3	1 orymerase Chain Reaction 8
Federal Animal Health Official 3	P
Herd 3	Public Grazing
Hold Order 3	Grazing Associations 6
Infected Cattle 3	Positive Tests 6
Infected Herd 3	R
Negative 3	
PCR 3	Registered Veterinarians
Positive 3	Education Requirements 8 Use of Official Laboratories 8
Quarantine 3	Use of Official Laboratories 8 Reporting Of Test Results & Official
Quarantined 3	Identification
Registered Veterinarians 3	Identifying Virgin Bulls 8
Restrain 3	Receiving Results 8
State Animal Health Official 4	Rodeo Bulls
T Brand 4	Bulls Purchased 8
Trichomoniasis 4	Bulls Removed for Breeding
${f F}$	Purposes 9
Feeding Bulls Of Unknown	Bulls Removed for Slaughter 9
Trichomoniasis Status	Division Approval 8
Removal of Bulls for Breeding	Not Mixed with Cows 8
Purposes 9	D 41 11 4.C. 1 0
	Permanently Identified 8
Removal of Untested Bulls 9	Records Maintained 8
Removal of Untested Bulls 9	Records Maintained 8
Removal of Untested Bulls 9 I	Records Maintained 8 T
Removal of Untested Bulls 9 I Imported Bulls	Records Maintained 8 T Treatment Of Infected Bulls 7
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6	Records Maintained 8 T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing
Removal of Untested Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4
Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4
I Imported Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4
Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7 Infections With Other Types Of	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4 Trichomoniasis Testing
I Imported Bulls 9 I Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4 Trichomoniasis Testing
Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Virgin Bulls 6 Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7 Infections With Other Types Of Trichomonads Inconclusive Test Results 9	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4 Trichomoniasis Testing
Imported Bulls 9 Imported Bulls 6 Non-Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7 Infections With Other Types Of Trichomonads	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4 Trichomoniasis Testing
Imported Bulls Bulls for Grazing 6 Non-Virgin Bulls 5 Virgin Bulls 5 Virgin Bulls 5 Infected Bulls & Herds Confirmatory Testing of Culture Positive Bulls 6 Exposed Herds 6 Identifying Infected Bulls 7 Quarantine of Infected Herds 6 Testing of Infected Herds 7 Infections With Other Types Of Trichomonads Inconclusive Test Results 9 Trichomonad Organisms	T Treatment Of Infected Bulls 7 Trichomoniasis Control & Eradication Program Bulls Consigned to Slaughter or to an Approved Feedlot 4 Bulls in Public Grazing Allotments 4 Dairy Bulls 4 Extension of Testing Deadline 4 Virgin Bulls 4 Trichomoniasis Testing