Table of Contents

07.08.15 - Idaho Minimum Safety Standards and Practices for Logging -- Commonly Used Logging Terms

000. Legal Authority.	2
001. Title And Scope.	
002. Written Interpretations.	
003. Administrative Appeals.	
004. Incorporation By Reference.	
005. Office - Office Hours - Mailing Address And Street Address	
006. Public Records Act Compliance.	
007 008. (Reserved)	
009. Additional Definitions.	
010. Definitions.	
011 999. (Reserved)	

IDAPA 07 TITLE 08 CHAPTER 15

07.08.15 - IDAHO MINIMUM SAFETY STANDARDS AND PRACTICES FOR LOGGING -- COMMONLY USED LOGGING TERMS

000. LEGAL AUTHORITY.

Pursuant to the provisions of Section 67-2601A, Idaho Code, the Division of Building Safety has the authority to promulgate and adopt rules for affecting the purposes therein. (3-29-17)

001. TITLE AND SCOPE.

These rules shall be cited as IDAPA 07.08.15, "Idaho Minimum Safety Standards and Practices for Logging -- Commonly Used Logging Terms," and shall be applicable to the logging industry in the state of Idaho. (7-1-97)

002. WRITTEN INTERPRETATIONS.

There are no written statements which pertain to the interpretation of these rules.

(7-1-97)

003. ADMINISTRATIVE APPEALS.

The procedure for appeals in logging safety matters is prescribed by IDAPA 07.08.16, "Idaho Minimum Safety Standards and Practices for Logging – Recommended Safety Program," and Title 67, Chapter 52, Idaho Code.

(3-29-17)

004. INCORPORATION BY REFERENCE.

There are no documents that have been incorporated by reference into these rules.

(3-29-17)

005. OFFICE - OFFICE HOURS - MAILING ADDRESS AND STREET ADDRESS.

The principal place of business of the Division of Building Safety, Logging Safety Program, is at the Division office located at 1090 E. Watertower Street, Suite 150, Meridian, Idaho 83642. The Logging Safety Program may also be contacted at 1250 Ironwood Drive, Suite 220, Coeur d'Alene, Idaho 83814, and at 2055 Garrett Way, Suite 4, Pocatello, Idaho 83201. All locations are open from 8:00 a.m. to 5:00 p.m., except Saturday, Sunday and legal holidays. The telephone number of the office is (208) 334-3950. The facsimile number of the office is 1-877-810-2840. The Department website is http://dbs.idaho.gov. (3-29-17)

006. PUBLIC RECORDS ACT COMPLIANCE.

The rules contained herein have been promulgated according to the provisions of Title 67, Chapter 52, Idaho Code, and are public records. (3-29-17)

007. -- 008. (RESERVED)

009. ADDITIONAL DEFINITIONS.

For definitions refer to IDAPA 07.08.01, "Idaho Minimum Safety Standards and Practices for Logging -- General Provisions," Section 007. (3-29-17)

010. **DEFINITIONS.**

- **01. A-Frame**. A structure made of the independent columns (of wood or steel) fastened together at the top and separated a reasonable width at the bottom to stabilize the unit from tipping sideways. (7-1-97)
- **02. Arch**. A piece of equipment attached to the rear of a vehicle, used for raising one end of logs to facilitate skidding. (3-29-17)
 - **03. Back Cut**. The final falling cut. (7-1-97)
- **04. Barber Chair.** Slab portion of tree remaining on the stump above the back cut due to improper falling. (7-1-97)
 - **05. Bell or Cup Hook With Spike.** A hook consisting of a cylindrical cup from whose center there

IDAPA 07.08.15 - Minimum Safety Standards & Practices for Logging - Commonly Used Logging Terms

projects a spike.		(7-1-97)
06. through a block.	Bight. The loop of a line, the ends being "gast" elsewhere, or the angle formed by a li	ne running (7-1-97)
07.	Binder. Chain, cable, or steel strap used for binding loads of logs.	(7-1-97)
08.	Blasting Cap. A metal shell containing a detonating compound.	(7-1-97)
09. long flat raft or b	Brailling . One (1) section of flat log raft enclosed by boom sticks. To place logs end boom.	to end in a (7-1-97)
10. loading or unload	Brow Log. A log placed parallel to any roadway at a landing or dump to protect vehicling.	icles while (7-1-97)
11.	Bullbuck. The supervisor over cutting crew.	(7-1-97)
the base.	Buckle Guy Line . Line used to stiffen or support a tree, pole, or structure between the to	p guys and (7-1-97)
13.	Bunk. The cross support for logs on a logging car or truck.	(7-1-97)
14.	Butt Hook. Hook at the end of a haul-in line for attaching chokers to line.	(3-29-17)
15.	Butt Rigging. Arrangement at the end of main line for attaching chokers.	(3-29-17)
16.	Capped Fuse. A piece of fuse to which a blasting cap has been crimped.	(7-1-97)
17. carriages to yard	Carriage Logging . A type of high lead logging using gravity, haul back, or remolelogs. (Bullet carriage is one type).	ote control (7-1-97)
18.	Cat Road. A tractor road.	(7-1-97)
19. on skid road.	Chaser. The member of the yarding crew who unhooks the logs at the landing or fight	s hang-ups (7-1-97)
20.	Chipper. A machine which cuts materials into chips.	(7-1-97)
21.	Chock (Bunk Block-Cheese Block). A wedge that prevents logs from rolling off the bu	nks. (7-1-97)
22.	Cheater. An extension to bunk stakes.	(3-29-17)
23.	Choker. A wire rope with special attachments put around the log near the end for hauling	g or lifting. (3-29-17)
24.	Cold Deck. Any pile of logs which is yarded and left for future removal.	(7-1-97)
25.	Cold Shut. A link for joining two (2) chains, the link being closed cold with a hammer,	not a weld. (7-1-97)
26. the leading wires	Connecting Wires . Those wires that connect the leg wire of one (1) electric blasting cs, when blasting in series.	cap or with (3-29-17)

Section 010 Page 3 IAC Archive 2017

27. Crotch Line. Two (2) short lines attached to a hoisting line by means of a ring or shackle, the lower ends being attached to loading hooks and used for loading or unloading. (3-29-17)

48.

49.

IDAPA 07.08.15 - Minimum Safety Standards & Practices for Logging - Commonly Used Logging Terms

(7-1-97)

	28.	Cutter. A term used to designate faller or bucker.	(7-1-97)
29. D or Strap Socket . A socket with a closed loop and arranged to be attached to the end of a line. It is used in place of a spliced eye. (7-1-97)			
	30.	Dead Man. A buried log or other object used as an anchor.	(3-29-17)
	31.	Detonator . A blasting cap, electric blasting cap, or delay electric blasting cap.	(3-29-17)
	32.	Dog Line . Any line used to tie logs together.	(7-1-97)
moving	33. or transp	Donkey (Short for "Donkey Engine") . Power equipment equipped with druporting logs as in loading or yarding.	and cable for (3-29-17)
rest.	34.	Drag-Turn . Any log or group of logs attached by some means of power and move	ed from a point of (3-29-17)
fire, fric generati	ction con	Explosive . Any chemical compound or mechanical mixture commonly used ombustible units, or other ingredients, in such proportions, quantities or packing the cussion, percussion, or detonator of any part of the compound or mixture may caughly heated gases that the resultant gaseous pressures are capable of producing destates or destroying life or limb.	hat an ignition by use such a sudden
front of	36. another	Fair Lead . A combination of a pair of sheaves or roller set transversely or vert pair of sheaves to guide a line coming from any direction and leading it properly to	ically in a unit in a drum. (7-1-97)
	37.	Gin Pole. A raised pole properly guyed and used to support lines and blocks.	(7-1-97)
	38.	Grapple . A device attached to a hoisting line for mechanically handling logs.	(3-29-17)
	39.	Gut Wrapper. An intermediate binder for an individual tier of logs.	(3-29-17)
	40.	Guy Lines. The lines used to stay or support spar trees, booms, etc.	(7-1-97)
Used to	41. return th	Haul Back . A small wire line traveling between the power skidder and a pulley ne main cable with tongs, chokers, or hooks to the next log.	set near the logs. (7-1-97)
	42.	Heel Block. The block heel of boom.	(7-1-97)
	43.	Heel Boom . A type of loading boom where one end of the log is pulled up agains	t the boom. (7-1-97)
to the pl	44. lace of lo	Hook Tender, Hooker . The worker who supervises the method of moving the log pading.	gs from the woods (7-1-97)
	45.	Hazard . Any condition or circumstance which may cause an accident or injury.	(7-1-97)
	46.	Jaggers. Any projecting broken strand of cable.	(7-1-97)
	47.	Jammer. A machine used for handling logs.	(7-1-97)

Section 010 Page 4 IAC Archive 2017

Knob. A metal ferrule arranged to be attached to the end of a line, used in place of a spliced eye. (7-1-97)

Jill Poke. A projecting object out of its normal position.

IDAPA 07.08.15 - Minimum Safety Standards & Practices for Logging - Commonly Used Logging Terms

50. unloading.	Landing, Rollway. Any place where logs are placed, after being yarded, awaiting le	oading or (7-1-97)
51. direction.	Lang Lay Rope. A wire rope, in which the wires in the strands of the rope are laid in	the same (7-1-97)
52. generating devis	Leading Wires . Those wires between the "connecting wires" or "leg wires" and a se or an approved type blasting battery in series blasting.	portable (7-1-97)
53.	Leaners. A live or dead leaning tree.	(7-1-97)
54.	Loading Boom. Any structure projecting from a pivot point to guide a log when lifted.	(7-1-97)
55.	Log Stacker. A machine with lift forks used to handle logs.	(7-1-97)
56.	Magazine. Any building or other structure used exclusively for the storage of explosives.	(7-1-97)
57.	Operation (Show Woods Layout). Any place where logging is being done.	(7-1-97)
58.	Mainline. A cable which pulls logs or trees to loading.	(7-1-97)
59.	Pan (Skidding Pan). A solid piece of metal placed behind a tractor on which one end of	logs rest. (3-29-17)
60.	Peeling Bar or Spud. A tool for removing bark from trees or logs.	(7-1-97)
61.	Pike, Pole. A long pole whose end is shod with a sharp pointed steel spike, point, or hook	:. (3-29-17)
62. a wooden spar t	Portable Spar or Tower . An engineered structure designed to be used in a manner similar ree would be used.	r to which (7-1-97)
63.	Powder. Any explosive other than the detonating agent.	(7-1-97)
64.	Primer . A cartridge of explosive with a detonator inserted there in.	(7-1-97)
65.	Reach. An adjustable beam between a trailer and a motorized logging vehicle.	(3-29-17)
66.	Receding Line . The line on a skidder or slack-line comparable to the haul back line on a	yarder. (3-29-17)
67.	Reload. Any area where logs are dumped and reloaded.	(7-1-97)
68.	Running Line. Any line which moves.	(7-1-97)
69.	Sail Guy. A guy which holds the outer end of a boom.	(7-1-97)
70.	Sail Block. A block hung inverted on the sail guy to hold the tong block in proper positio	n. (7-1-97)
71.	Schoolmarm. A crotched tree consisting chiefly of two (2) trunks.	(7-1-97)
72.	Skids . Any group of timbers spaced a short distance apart on which the logs are placed.	(7-1-97)
73. sufficient to fall	Side, Show, Chance . That unit of a logging operation, including men and equipme, buck, and load a given area ready for transportation of the logs to the mill.	nt that is (7-1-97)

Section 010 Page 5 IAC Archive 2017

IDAPA 07.08.15 - Minimum Safety Standards & Practices for Logging - Commonly Used Logging Terms

74. a tree knocked d	Side Winders . A piece of log, brush, or limb thrown up or sideways during skidding op lown by another tree in falling.	eration, or (3-29-17)
75. the operator.	Signalman, Whistle Punk. The authorized worker who transfers signals from a given l	ocation to (7-1-97)
76.	Skidding. Movement of logs on the ground.	(7-1-97)
77. bullet travels.	Skyline. The supporting line on various types of logging systems on which carriage,	block, or (7-1-97)
78.	Slack Line. A form of skyline where skyline is spooled on drum and can be raised or low	vered. (7-1-97)
79. inadequate.	Slack Puller. Any device used to increase the movement of a line when its own	weight is (7-1-97)
80.	Snags. Any dead standing trees.	(7-1-97)
81. looping the line	Snubbing . A method of retarding or controlling the movement of logs or machine by around a stationary object.	means of (7-1-97)
82. ground level.	Spring Board . A board with an iron tip used by fallers to stand on when they must stand	above the (7-1-97)
83.	Strap. Any short piece of line with an eye or "D" in each end.	(7-1-97)
84.	Strawline . A small line used for miscellaneous purposes.	(7-1-97)
85.	Strip. A definite location of timber allocated to a cutting crew.	(7-1-97)
86. operations.	Sweeper. Unexpected and controlled lateral movement of a log, tree, etc., during	skidding (3-29-17)
87.	Swamp . The falling or clearing of limbs and brush around or along a specific place.	(7-1-97)
88.	Tag Line. A line used to control movement during loading, unloading, or skidding operate	tions. (7-1-97)
89.	Tail Hold. Any anchor used for making fast any line.	(7-1-97)
90.	Tell Tale. A devise used to serve as a warning for overhead hazards.	(7-1-97)
91.	Tight Line . When power is exerted on both mainline and haul back at the same time.	(7-1-97)
92.	Tongs . A hooking device used to lift or skid logs.	(7-1-97)
93.	Transfer . Changing of a load of logs in a unit from one means of transportation to another	er. (7-1-97)
94.	Tree Plates . Steel protectors spiked around a tree to prevent the lines from cutting into the	ne trees. (7-1-97)
95.	Undercut. A notch cut in the tree to guide and control the tree in falling.	(7-1-97)
96.	Windfall. A tree felled by the wind or other natural causes.	(7-1-97)

Section 010 Page 6 IAC Archive 2017

- **97. Widow Maker**. A loose limb, top, or piece of bark which may fall on a logger working beneath it. (7-1-97)
- **98.** Shipping point. Yarding. Movement of logs or trees from the place they are felled (bucked) to a central loading or (7-1-97)
- 011. -- 999. (RESERVED)

Subject Index

A Additional Definitions, IDAPA	Landing, Rollway 5 Lang Lay Rope 5
	Leading Wires 5
07.08.15 2	Leaners 5
D	
Definitions 2	Loading Boom 5
A-Frame 2	Log Stacker 5
Arch 2	Magazine 5
	Mainline 5
Back Cut 2 Barber Chair 2	Operation (Show Woods
	Layout) 5
Bell or Cup Hook With Spike 2	Pan (Skidding Pan) 5
Bight 3 Binder 3	Peeling Bar or Spud 5
Binder 3 Blasting Cap 3	Pike, Pole 5
	Portable Spar or Tower 5
Brailling 3	Powder 5
Brow Log 3	Primer 5
Buckle Guy Line 3	Reach 5
Bullbuck 3	Receding Line 5
Bunk 3	Reload 5
Butt Hook 3	Running Line 5
Butt Rigging 3	Sail Block 5
Capped Fuse 3	Sail Guy 5
Carriage Logging 3	Schoolmarm 5
Cat Road 3	Side Winders 6
Chaster 3	Side, Show, Chance 5
Change 3	Signalman, Whistle Punk 6
Charle (Parel Plank Charle	Skidding 6
Chock (Bunk Block-Cheese	Skids 5
Block) 3	Skyline 6
Choker 3	Slack Line 6
Cold Deck 3	Slack Puller 6
Cold Shut 3	Snags 6
Connecting Wires 3	Snubbing 6
Crotch Line 3	Spring Board 6
Cutter 4	Strap 6
D or Strap Socket 4	Strawline 6
Dead Man 4 Detonator 4	Strip 6
	Swamp 6
Dog Line 4	Sweeper 6
Donkey (Short for "Donkey	Tag Line 6
Engine") 4	Tail Hold 6
Drag-Turn 4 Explosive 4	Tell Tale 6
Fair Lead 4	Tight Line 6
Gin Pole 4	Tongs 6
Grapple 4	Transfer 6 Tree Plates 6
Gut Wrapper 4	Undercut 6
Guy Lines 4	Widow Maker 7
Haul Back 4	Windfall 6
Hazard 4	Yarding 7
Heel Block 4	raiding /
Heel Boom 4	
Hook Tender, Hooker 4	
Jaggers 4	
Jaggers 4 Jammer 4	
Jill Poke 4	
Knob 4	
IMIOU T	