# Table of Contents

### 07.08.15 – Idaho Minimum Safety Standards and Practices for Logging – Commonly Used Logging Terms

000. Legal Authority.	2
001. Title And Scope.	
002. Written Interpretations.	2
003. Administrative Appeals.	2
004. Incorporation By Reference.	2
005. Office – Office Hours – Mailing Address And Street Address.	2
006. Public Records Act Compliance.	2
007 008. (Reserved)	2
009. Additional Definitions.	2
010. Definitions.	2
011 999. (Reserved)	7

#### IDAPA 07 TITLE 08 CHAPTER 15

#### 07.08.15 – IDAHO MINIMUM SAFETY STANDARDS AND PRACTICES FOR LOGGING – COMMONLY USED LOGGING TERMS

#### 000. LEGAL AUTHORITY.

Pursuant to the provisions of Section 67-2601A, Idaho Code, the Division of Building Safety has the authority to promulgate and adopt rules for affecting the purposes therein. (3-29-17)

#### 001. TITLE AND SCOPE.

These rules shall be cited as IDAPA 07.08.15, "Idaho Minimum Safety Standards and Practices for Logging – Commonly Used Logging Terms," and shall be applicable to the logging industry in the state of Idaho. (7-1-97)

#### 002. WRITTEN INTERPRETATIONS.

There are no written statements which pertain to the interpretation of these rules. (7-1-97)

#### 003. ADMINISTRATIVE APPEALS.

The procedure for appeals in logging safety matters is prescribed by IDAPA 07.08.16, "Idaho Minimum Safety Standards and Practices for Logging – Recommended Safety Program," and Title 67, Chapter 52, Idaho Code.

(3-29-17)

#### 004. INCORPORATION BY REFERENCE.

There are no documents that have been incorporated by reference into these rules. (3-29-17)

#### 005. OFFICE – OFFICE HOURS – MAILING ADDRESS AND STREET ADDRESS.

The principal place of business of the Division of Building Safety, Logging Safety Program, is at the Division office located at 1090 E. Watertower Street, Suite 150, Meridian, Idaho 83642. The Logging Safety Program may also be contacted at 1250 Ironwood Drive, Suite 220, Coeur d'Alene, Idaho 83814, and at 2055 Garrett Way, Suite 4, Pocatello, Idaho 83201. All locations are open from 8:00 a.m. to 5:00 p.m., except Saturday, Sunday and legal holidays. The telephone number of the office is (208) 334-3950. The facsimile number of the office is 1-877-810-2840. The Department website is http://dbs.idaho.gov. (3-29-17)

#### 006. PUBLIC RECORDS ACT COMPLIANCE.

The rules contained herein have been promulgated according to the provisions of Title 67, Chapter 52, Idaho Code, and are public records. (3-29-17)

#### 007. -- 008. (RESERVED)

#### 009. ADDITIONAL DEFINITIONS.

For definitions refer to IDAPA 07.08.01, "Idaho Minimum Safety Standards and Practices for Logging -- General Provisions," Section 007. (3-29-17)

#### 010. **DEFINITIONS.**

**01. A-Frame**. A structure made of the independent columns (of wood or steel) fastened together at the top and separated a reasonable width at the bottom to stabilize the unit from tipping sideways. (7-1-97)

02. Arch. A piece of equipment attached to the rear of a vehicle, used for raising one end of logs to facilitate skidding. (3-29-17)

**03. Back Cut**. The final falling cut.

04. Barber Chair. Slab portion of tree remaining on the stump above the back cut due to improper (7-1-97)

05. Bell or Cup Hook With Spike. A hook consisting of a cylindrical cup from whose center there

(7 - 1 - 97)

#### IDAHO ADMINISTRATIVE CODE Division of Building Safety

### IDAPA 07.08.15 – Minimum Safety Standards & Practices for Logging – Commonly Used Logging Terms

projects a spike.	(7-1-97
<b>06.</b> through a block.	<b>Bight</b> . The loop of a line, the ends being "gast" elsewhere, or the angle formed by a line runnin (7-1-97)
07.	<b>Binder</b> . Chain, cable, or steel strap used for binding loads of logs. (7-1-97)
08.	Blasting Cap. A metal shell containing a detonating compound. (7-1-97)
<b>09.</b> long flat raft or b	<b>Brailling</b> . One (1) section of flat log raft enclosed by boom sticks. To place logs end to end in (7-1-97)
<b>10.</b> loading or unload	<b>Brow Log</b> . A log placed parallel to any roadway at a landing or dump to protect vehicles whilling. (7-1-97)
11.	Bullbuck. The supervisor over cutting crew. (7-1-97)
12. the base.	Buckle Guy Line. Line used to stiffen or support a tree, pole, or structure between the top guys an (7-1-97)
13.	Bunk. The cross support for logs on a logging car or truck.(7-1-97)
14.	<b>Butt Hook</b> . Hook at the end of a haul-in line for attaching chokers to line. (3-29-17)
15.	<b>Butt Rigging</b> . Arrangement at the end of main line for attaching chokers. (3-29-17)
16.	<b>Capped Fuse</b> . A piece of fuse to which a blasting cap has been crimped. (7-1-97)
17. carriages to yard	<b>Carriage Logging</b> . A type of high lead logging using gravity, haul back, or remote contrologs. (Bullet carriage is one type). (7-1-97)
18.	Cat Road. A tractor road. (7-1-97
<b>19.</b> on skid road.	<b>Chaser</b> . The member of the yarding crew who unhooks the logs at the landing or fights hang-up (7-1-97)
20.	Chipper. A machine which cuts materials into chips. (7-1-97
21.	<b>Chock (Bunk Block-Cheese Block)</b> . A wedge that prevents logs from rolling off the bunks. (7-1-97)
22.	Cheater. An extension to bunk stakes. (3-29-17
23.	<b>Choker</b> . A wire rope with special attachments put around the log near the end for hauling or lifting (3-29-17)
24.	<b>Cold Deck</b> . Any pile of logs which is yarded and left for future removal. (7-1-97)
25.	<b>Cold Shut</b> . A link for joining two (2) chains, the link being closed cold with a hammer, not a weld (7-1-97)
<b>26.</b> the leading wires	<b>Connecting Wires</b> . Those wires that connect the leg wire of one (1) electric blasting cap or wit (3-29-17), when blasting in series.

27. Crotch Line. Two (2) short lines attached to a hoisting line by means of a ring or shackle, the lower ends being attached to loading hooks and used for loading or unloading. (3-29-17)

### IDAHO ADMINISTRATIVE CODE Division of Building Safety IDAPA 07.08.15 – Minimum Safety Standards & Practices for Logging – Commonly Used Logging Terms

28.	Cutter. A term used to designate faller or bucker.	(7-1-97)
<b>29.</b> is used in pla	<b>D</b> or Strap Socket. A socket with a closed loop and arranged to be attached to the end o ce of a spliced eye.	of a line. It (7-1-97)
30.	Dead Man. A buried log or other object used as an anchor.	(3-29-17)
31.	Detonator. A blasting cap, electric blasting cap, or delay electric blasting cap.	(3-29-17)
32.	Dog Line. Any line used to tie logs together.	(7-1-97)
<b>33.</b> moving or tra	<b>Donkey (Short for "Donkey Engine")</b> . Power equipment equipped with drum and nsporting logs as in loading or yarding.	cable for (3-29-17)
<b>34.</b> rest.	Drag-Turn. Any log or group of logs attached by some means of power and moved from	a point of (3-29-17)
fire, friction generation of	<b>Explosive</b> . Any chemical compound or mechanical mixture commonly used that con- l combustible units, or other ingredients, in such proportions, quantities or packing that an in- concussion, percussion, or detonator of any part of the compound or mixture may cause such highly heated gases that the resultant gaseous pressures are capable of producing destructive ojects or destroying life or limb.	gnition by a sudden
<b>36.</b> front of anoth	Fair Lead. A combination of a pair of sheaves or roller set transversely or vertically in the pair of sheaves to guide a line coming from any direction and leading it properly to a drum	
37.	Gin Pole. A raised pole properly guyed and used to support lines and blocks.	(7-1-97)
38.	Grapple. A device attached to a hoisting line for mechanically handling logs.	(3-29-17)
39.	Gut Wrapper. An intermediate binder for an individual tier of logs.	(3-29-17)
40.	Guy Lines. The lines used to stay or support spar trees, booms, etc.	(7-1-97)
<b>41.</b> Used to retur	Haul Back. A small wire line traveling between the power skidder and a pulley set nea in the main cable with tongs, chokers, or hooks to the next log.	r the logs. (7-1-97)
42.	Heel Block. The block heel of boom.	(7-1-97)
43.	Heel Boom. A type of loading boom where one end of the log is pulled up against the bo	om. (7-1-97)
<b>44.</b> to the place of	<b>Hook Tender, Hooker</b> . The worker who supervises the method of moving the logs from f loading.	the woods (7-1-97)
45.	Hazard. Any condition or circumstance which may cause an accident or injury.	(7-1-97)
46.	Jaggers. Any projecting broken strand of cable.	(7-1-97)
47.	Jammer. A machine used for handling logs.	(7-1-97)
48.	Jill Poke. A projecting object out of its normal position.	(7-1-97)
49.	Knob. A metal ferrule arranged to be attached to the end of a line, used in place of a splic	ced eye. (7-1-97)

# IDAHO ADMINISTRATIVE CODEIDAPA 07.08.15 – Minimum Safety Standards & PracticesDivision of Building Safetyfor Logging – Commonly Used Logging Terms

<b>50.</b> unloading.	Landing, Rollway. Any place where logs are placed, after being yarded, awaiting loadin (7-	ng or 1-97)
<b>51.</b> direction.	Lang Lay Rope. A wire rope, in which the wires in the strands of the rope are laid in the (7-	same 1-97)
	Leading Wires. Those wires between the "connecting wires" or "leg wires" and a port or an approved type blasting battery in series blasting.	table 1-97)
53.	Leaners. A live or dead leaning tree. (7-	1-97)
54.	<b>Loading Boom</b> . Any structure projecting from a pivot point to guide a log when lifted. (7-	1-97)
55.	Log Stacker. A machine with lift forks used to handle logs.(7-	1-97)
56.	Magazine. Any building or other structure used exclusively for the storage of explosives. (7-	1-97)
57.	<b>Operation (Show Woods Layout)</b> . Any place where logging is being done. (7-	1-97)
58.	Mainline. A cable which pulls logs or trees to loading.(7-	1-97)
59.	Pan (Skidding Pan). A solid piece of metal placed behind a tractor on which one end of logs (3-29)	rest. 9-17)
60.	Peeling Bar or Spud. A tool for removing bark from trees or logs.(7-	1-97)
61.	<b>Pike, Pole</b> . A long pole whose end is shod with a sharp pointed steel spike, point, or hook. (3-29)	9-17)
<b>62.</b> a wooden spar tre	Portable Spar or Tower. An engineered structure designed to be used in a manner similar to we would be used.	vhich 1-97)
63.	<b>Powder</b> . Any explosive other than the detonating agent.(7-	1-97)
64.	<b>Primer</b> . A cartridge of explosive with a detonator inserted there in.(7-	1-97)
65.	<b>Reach</b> . An adjustable beam between a trailer and a motorized logging vehicle. (3-29)	9-17)
66.	<b>Receding Line</b> . The line on a skidder or slack-line comparable to the haul back line on a yard (3-2)	er. 9-17)
67.	Reload. Any area where logs are dumped and reloaded. (7-	1-97)
68.	Running Line. Any line which moves. (7-	1-97)
69.	Sail Guy. A guy which holds the outer end of a boom. (7-	1-97)
70.	Sail Block. A block hung inverted on the sail guy to hold the tong block in proper position. (7-	1-97)
71.	Schoolmarm. A crotched tree consisting chiefly of two (2) trunks. (7-	1-97)
72.	Skids. Any group of timbers spaced a short distance apart on which the logs are placed. (7-	1-97)
<b>73.</b> sufficient to fall 1	<b>Side, Show, Chance</b> . That unit of a logging operation, including men and equipment the buck and load a given area ready for transportation of the logs to the mill	nat is 1-97)

# IDAHO ADMINISTRATIVE CODEIDAPA 07.08.15 – Minimum Safety Standards & PracticesDivision of Building Safetyfor Logging – Commonly Used Logging Terms

74. a tree knocked	<b>Side Winders</b> . A piece of log, brush, or limb thrown up or sideways during skidding down by another tree in falling.	operation, or (3-29-17)
75. the operator.	Signalman, Whistle Punk. The authorized worker who transfers signals from a give	n location to (7-1-97)
76.	Skidding. Movement of logs on the ground.	(7-1-97)
77. bullet travels.	Skyline. The supporting line on various types of logging systems on which carriag	ge, block, or (7-1-97)
78.	Slack Line. A form of skyline where skyline is spooled on drum and can be raised or l	owered. (7-1-97)
<b>79.</b> inadequate.	Slack Puller. Any device used to increase the movement of a line when its ow	n weight is (7-1-97)
80.	Snags. Any dead standing trees.	(7-1-97)
<b>81.</b> looping the lin	<b>Snubbing</b> . A method of retarding or controlling the movement of logs or machine around a stationary object.	by means of (7-1-97)
<b>82.</b> ground level.	Spring Board. A board with an iron tip used by fallers to stand on when they must star	nd above the (7-1-97)
83.	Strap. Any short piece of line with an eye or "D" in each end.	(7-1-97)
84.	Strawline. A small line used for miscellaneous purposes.	(7-1-97)
85.	Strip. A definite location of timber allocated to a cutting crew.	(7-1-97)
<b>86.</b> operations.	Sweeper. Unexpected and controlled lateral movement of a log, tree, etc., duri	ng skidding (3-29-17)
87.	Swamp. The falling or clearing of limbs and brush around or along a specific place.	(7-1-97)
88.	Tag Line. A line used to control movement during loading, unloading, or skidding ope	rations. (7-1-97)
89.	Tail Hold. Any anchor used for making fast any line.	(7-1-97)
90.	Tell Tale. A devise used to serve as a warning for overhead hazards.	(7-1-97)
91.	Tight Line. When power is exerted on both mainline and haul back at the same time.	(7-1-97)
92.	Tongs. A hooking device used to lift or skid logs.	(7-1-97)
93.	Transfer. Changing of a load of logs in a unit from one means of transportation to ano	ther. (7-1-97)
94.	Tree Plates. Steel protectors spiked around a tree to prevent the lines from cutting into	the trees. (7-1-97)
95.	Undercut. A notch cut in the tree to guide and control the tree in falling.	(7-1-97)
96.	Windfall. A tree felled by the wind or other natural causes.	(7-1-97)

97. Widow Maker. A loose limb, top, or piece of bark which may fall on a logger working beneath it. (7-1-97)

**98.** Shipping point. Yarding. Movement of logs or trees from the place they are felled (bucked) to a central loading or (7-1-97)

011. -- 999. (RESERVED)

# Subject Index

A Additional Definitions, IDAPA 07.08.15 2

D Definitions 2 A-Frame 2 Arch 2 Back Cut 2 Barber Chair 2 Bell or Cup Hook With Spike 2 Bight 3 Binder 3 Blasting Cap 3 Brailling 3 Brow Log 3 Buckle Guy Line 3 Bullbuck 3 Bunk 3 Butt Hook 3 Butt Rigging 3 Capped Fuse 3 Carriage Logging 3 Cat Road 3 Chaser 3 Cheater 3 Chipper 3 Chock (Bunk Block-Cheese Block) 3 Choker 3 Cold Deck 3 Cold Shut 3 Connecting Wires 3 Crotch Line 3 Cutter 4 D or Strap Socket 4 Dead Man 4 Detonator 4 Dog Line 4 Donkey (Short for "Donkey Engine") 4 Drag-Turn 4 Explosive 4 Fair Lead 4 Gin Pole 4 Grapple 4 Gut Wrapper 4 Guy Lines 4 Haul Back 4 Hazard 4 Heel Block 4 Heel Boom 4 Hook Tender, Hooker 4 Jaggers 4 Jammer 4 Jill Poke 4 Knob 4

Landing, Rollway 5 Lang Lay Rope 5 Leading Wires 5 Leaners 5 Loading Boom 5 Log Stacker 5 Magazine 5 Mainline 5 Operation (Show Woods Layout) 5 Pan (Skidding Pan) 5 Peeling Bar or Spud 5 Pike, Pole 5 Portable Spar or Tower 5 Powder 5 Primer 5 Reach 5 Receding Line 5 Reload 5 Running Line 5 Sail Block 5 Sail Guy 5 Schoolmarm 5 Side Winders 6 Side, Show, Chance 5 Signalman, Whistle Punk 6 Skidding 6 Skids 5 Skyline 6 Slack Line 6 Slack Puller 6 Snags 6 Snubbing 6 Spring Board 6 Strap 6 Strawline 6 Strip 6 Swamp 6 Sweeper 6 Tag Line 6 Tail Hold 6 Tell Tale 6 Tight Line 6 Tongs 6 Transfer 6 Tree Plates 6 Undercut 6 Widow Maker 7 Windfall 6 Yarding 7