

Table of Contents

10.01.03 – Rules for Corner Perpetuation and Filing

000. Legal Authority.	2
001. Title And Scope.	2
002. Administrative Appeals.	2
003. Written Interpretations.	2
004. Definitions.	2
005. Form.	2
006. Completion Of Form.	2
007. Record Of Original Corner And Subsequent History.	2
008. Description Of Corner Evidence Found.	2
009. Description and Sketch Of Monument And Accessories Found Or Established To Perpetuate The Location Of This Corner.	3
010. Surveyor's Certificate.	3
011. Seal, Signature, Date.	3
012. Marks On Monument Found Or Set.	3
013. Diagram.	3
014. Location.	3
015. -- 999. (Reserved)	3

**IDAPA 10
TITLE 01
CHAPTER 03**

10.01.03 – RULES FOR CORNER PERPETUATION AND FILING

000. LEGAL AUTHORITY.

As required in Section 55-1606, Idaho Code, the Board of Licensure of Professional Engineers and Professional Land Surveyors hereby establishes these rules for land survey corner perpetuation and filing. (5-8-09)

001. TITLE AND SCOPE.

01. Title. These rules are IDAPA 10.01.03, “Rules for Corner Perpetuation and Filing.” (5-8-09)

02. Scope. These rules include criteria for properly completing corner perpetuation and filing forms as set forth in Section 55-1604, Idaho Code. (7-1-93)

002. ADMINISTRATIVE APPEALS.

Persons desiring to contest the actions taken in accordance with these rules may seek administrative relief under the Attorney General’s Rules, IDAPA 04.11.01, “Idaho Rules of Administrative Procedure of the Attorney General.” (4-22-94)

003. WRITTEN INTERPRETATIONS.

In accordance with Section 67-5201(19)(b)(iv), Idaho Code, this agency does not have any written interpretations of the rules of this chapter. (7-1-93)

004. DEFINITIONS.

Definitions of words and terms contained in these rules are the same as those set forth in Section 55-1603, Idaho Code. (7-1-93)

005. FORM.

The form to be used in filing corner perpetuations in the state of Idaho shall be substantially the same as that form available from the Idaho Board of Licensure of Professional Engineers and Professional Land Surveyors, 1510 E. Watertower St., Ste. 110, Meridian, ID 83642-7993. Clear spaces on the form may be provided as requested and required by County Recorders in order to place recording information in an unobstructed area. The form is not available in quantity from the Board, but one (1) copy will be furnished, upon request, and it may be duplicated or reproduced. (5-8-09)

006. COMPLETION OF FORM.

Prior to filing of the form, the professional land surveyor performing the work shall complete the form in compliance with the requirements set forth in these rules. Additional information, for example latitude and longitude, with datum used, may be included. (5-8-09)

007. RECORD OF ORIGINAL CORNER AND SUBSEQUENT HISTORY.

Information provided in this section shall include the name of the original surveyor and the date or dates on which the original survey was performed and a description of the original monument set. The information shall also include the history of subsequent remonumentation, including the name(s) of the surveyor(s), the agency or company they represented, the date(s) of the survey(s) and a description of all monuments found or set, including all monuments and accessories that are not shown on previously recorded corner records. Information provided in this section shall also include the instrument numbers of all previously recorded corner records, or the filing information if the corner record was not recorded, pertaining to the corner in question. (4-11-15)

008. DESCRIPTION OF CORNER EVIDENCE FOUND.

Information provided in this section shall include a description of any evidence found relating to the original corner. If no evidence of the original corner is found, evidence of a subsequent remonumentation shall be indicated on the form. (4-11-15)

009. DESCRIPTION AND SKETCH OF MONUMENT AND ACCESSORIES FOUND OR ESTABLISHED TO PERPETUATE THE LOCATION OF THIS CORNER.

Information provided in this section shall include a description and a sketch of the monument and accessories found or placed in the current survey as well as the date the work was performed and the true or assumed magnetic declination at the time of the survey if magnetic bearings are used. If magnetic bearings are not used, the professional land surveyor shall indicate the basis of bearing to accessories. (4-11-15)

010. SURVEYOR'S CERTIFICATE.

The surveyor shall print his name, the license number issued by the Board of Licensure of Professional Engineers and Professional Land Surveyors, and the name of the employer for whom the surveyor is working. (5-8-09)

011. SEAL, SIGNATURE, DATE.

The surveyor shall place an imprint of his professional land surveyor seal, sign it and date it. (7-1-93)

012. MARKS ON MONUMENT FOUND OR SET.

The surveyor shall provide a sketch or legible image of the marks found or placed on the monument, if applicable. (5-8-09)

013. DIAGRAM.

The surveyor shall clearly mark on the section diagram the location of the monument found or being established or reestablished in the survey. (5-8-09)

014. LOCATION.

The surveyor shall state the county, section, township, range and the monument location being established or reestablished or found in the survey. (5-8-09)

015. -- 999. (RESERVED)

Subject Index

A
Administrative Appeals 2

C
Completion Of Form 2

D
Definitions, IDAPA 10.01.03 2
Description & Sketch Of Monument &
Accessories Established To
Perpetuate The Location Of This
Corner 3
Description Of Corner Evidence
Found 2
Diagram, Section Diagram 3

F
Form 2

L
Legal Authority 2
Location 3

M
Marks On Monument Set 3

R
Record Of Original Corner &
Subsequent History 2

S
Seal, Signature, Date 3
Surveyor's Certificate 3

T
Title & Scope 2

W
Written Interpretations 2