IDAPA 58 - DEPARTMENT OF ENVIRONMENTAL QUALITY

Waste Management and Remediation Division

58.01.06 - Solid Waste Management Rules

To whom does this rule apply?

This rule applies to owners and operators of currently authorized solid waste facilities, those that are seeking authorization, and those that are operating without authorization.

What is the purpose of this rule?

The rule implements an open dumping prohibition, sets standards for non-municipal solid waste facilities, and provides supplemental requirements to the Idaho Solid Waste Facilities Act for commercial solid waste facilities. The rule achieves this by requiring state authorization prior to disposal of a solid waste, and by establishing standards applicable to all solid waste and solid waste management facilities in Idaho, except as specifically excluded in the rule.

What is the legal authority for the agency to promulgate this rule?

This rule implements the following statutes passed by the Idaho Legislature:

Health and Safety -

Environmental Quality:

- Section 39-105, Idaho Code Powers and Duties of the Director
- Section 39-107, Idaho Code Board-Composition Officers Compensation Powers Subpoena Depositions Review Rules

Idaho Solid Waste Facilities Act:

• Section 39-7408C, Idaho Code – Siting License Application – Fee - Rules

Who do I contact for more information on this rule?

Paula Wilson Department of Environmental Quality 1410 N. Hilton Boise, ID 83706 Phone: (208) 373-0418

Fax: (208) 373-0418 Fax: (208) 373-0481

Email: paula.wilson@deq.idaho.gov

www.deq.idaho.gov

Table of Contents

58.01.06 - Solid Waste Management Rules	
000. Legal Authority.	3
001. Title And Scope.	3
002. (Reserved)	
003. Administrative Appeals.	4
004. Applicability.	
005. Definitions	
006. Abbreviations.	8
007. Incorporation By Reference.	9
008. (Reserved)	
009. Solid Waste Management Facility Classification	9
010. Below Regulatory Concern Facilities	11
011. Applicable Requirements For Tier I Facilities	12
012. Applicable Requirements For Tier II Facilities	
013. Applicable Requirements For Tier III Facilities	
014 031. (Reserved)	31
032. Tier II And Tier III Application And Plan Review And Approval	31
033 059. (Reserved)	32
060. Violations.	32
061. Open Burning And Fires	32
062 993. (Reserved)	32
994. Commercial Solid Waste Siting License Fee	32
995. Commercial Solid Waste Siting License Application	33
996 998. (Reserved)	33

58.01.06 - SOLID WASTE MANAGEMENT RULES

000. LEGAL AUTHORITY.

Sections 39-105 and 39-107, Idaho Code, authorize the Board of Environmental Quality to adopt rules and administer programs to protect surface water quality, ground water quality and air quality, and to regulate solid waste treatment or disposal and the licensure and certification requirements pertinent thereto. Section 39-7408C, Idaho Code, authorizes the Board of Environmental Quality to establish by rule municipal solid waste commercial siting license fees.

(7-1-21)T

001. TITLE AND SCOPE.

- **01. Title.** These rules are titled IDAPA 58.01.06, "Solid Waste Management Rules." (7-1-21)T
- **O2.** Scope. These rules establish requirements applicable to all solid waste and solid waste management facilities in Idaho, except as specifically provided in Subsections 001.03 and 001.04. (7-1-21)T
 - 03. Wastes Not Regulated Under These Rules.

(7-1-21)T

a. These rules do not apply to the following solid wastes:

(7-1-21)T

- i. Liquid wastes when the discharge or potential discharge of the liquid waste is regulated under a federal, state or local water pollution discharge or wastewater land application permit, including management of any solids if management of the solids are addressed in a permit term or condition; (7-1-21)T
- ii. Hazardous wastes regulated by the Hazardous Waste Management Act, Chapter 44, Title 39, Idaho Code, and the rules adopted thereunder; (7-1-21)T
- iii. Polychlorinated biphenyl (PCB) waste regulated under the Toxic Substance Control Act, 15 U.S.C. 2601, et seq., and these rules apply to PCB waste authorized by federal law to be disposed of at a nonhazardous waste landfill that is permitted, licensed or registered under Idaho Law; (7-1-21)T
- iv. Slash or slashing areas resulting from the harvesting of timber and the disposal of which is managed pursuant to Chapter 1, Title 38, Idaho Code or log landings or sorting sites; (7-1-21)T
- v. Wastes used, managed, stored and disposed in accordance with The Wood and Mill Yard Debris Technical Guidance Manual, as amended, published by the Department and developed pursuant to Sections 39-171 through 39-174, Idaho Code; (7-1-21)T
- vi. Clean soils and clean dredge spoils as regulated under Section 404 of the federal Clean Water Act provided that they are not hazardous wastes regulated by the Hazardous Waste Management Act, Chapter 44, Title 39, Idaho Code and the rules adopted thereunder; (7-1-21)T
- vii. Septage taken to a sewage treatment plant permitted by either the U.S. Environmental Protection Agency or the Department pursuant to IDAPA 58.01.15, "Rules Governing the Cleaning of Septic Tanks"; (7-1-21)T
- viii. All radioactive waste and radioactive materials regulated pursuant to Section 39-4405(9), Idaho Code and rules adopted thereunder and radioactive waste and materials regulated under the authority of the Atomic Energy Act of 1954, as amended; (7-1-21)T
- ix. Petroleum Contaminated Soils (PCS) from a leaking petroleum storage tank system managed as a one (1) time remediation pursuant to IDAPA 58.01.02, "Water Quality Standards"; (7-1-21)T
- x. Asbestos as regulated by the Toxic Substances Control Act, as amended, 15 U.S.C. Sections 2601, et seq., or asbestos as regulated by the Clean Air Act, as amended, 42 U.S.C. Section 7412; (7-1-21)T
- xi. Nonhazardous wastes disposed in a permitted hazardous waste treatment, storage and disposal unit regulated by the Hazardous Waste Management Act, Chapter 44, Title 39, Idaho Code, and rules adopted thereunder; or (7-1-21)T
 - xii. Waste otherwise regulated under Department authorities. (7-1-21)T
- **b.** These rules do not apply to the following solid waste unless these wastes are mixed with more than incidental quantities of regulated waste; (7-1-21)T

IDAPA 58.01.06 Solid Waste Management Rules

- i. Inert wastes; (7-1-21)T
- ii. Manures and crop (plant) residues ultimately returned to the soils at agronomic rates; (7-1-21)T
- iii. Any agricultural solid waste which is managed and regulated pursuant to rules adopted by the Idaho Department of Agriculture. The Department reserves the right to use existing authorities to regulate agricultural waste that impacts human health or the environment; (7-1-21)T
- iv. Overburden, waste dumps, low-grade stockpiles, tailings and other materials uniquely associated with mineral extraction, beneficiation or processing operations; (7-1-21)T
 - v. Slag from the production of elemental phosphorus; (7-1-21)T
- vi. Phospho-gypsum from the production of phosphate fertilizers, which includes the production of phosphoric acid; and (7-1-21)T
- vii. Wood waste used for ornamental, animal bedding, mulch and plant bedding, or road building purposes. (7-1-21)T
- **04. Solid Waste Management Facilities Not Regulated Under These Rules.** These Rules do not apply to the following solid waste management facilities: (7-1-21)T
 - **a.** Solid waste management facilities accepting only solid waste excluded by Subsection 001.03; (7-1-21)T
 - **b.** Recycling centers; or (7-1-21)T
 - c. Backyard composting sites. (7-1-21)T

002. (RESERVED)

003. ADMINISTRATIVE APPEALS.

Persons may be entitled to appeal agency actions authorized under this chapter pursuant to IDAPA 58.01.23, "Rules of Administrative Procedure Before the Board of Environmental Quality." (7-1-21)T

004. APPLICABILITY.

These rules apply to all solid waste unless excluded by Subsection 001.03 and to all solid waste management sites in Idaho unless excluded by Subsection 001.04. Compliance with these rules does not relieve owners and operators from the obligation to comply with other applicable state or federal laws, including but not limited to the IDAPA 58.01.02, "Water Quality Standards," IDAPA 58.01.11, "Ground Water Quality Rule," and IDAPA 58.01.01, "Rules for the Control of Air Pollution in Idaho." (7-1-21)T

- **01.** Solid Waste Facility Other Than Municipal Solid Waste Landfills (MSWLF) Applicability. Sections 000 through 060 and Section 999 apply to all solid waste facilities other than MSWLF, as specified therein. (7-1-21)T
- **02. Municipal Solid Waste Landfill Applicability**. Sections 000 through 007, and Sections 994 through 999 apply to all MSWLFs, as specified therein. (7-1-21)T

005. DEFINITIONS.

- **01. Active Portion**. That part of a unit where waste had been, or may be, disposed of, treated, or otherwise managed, and that has not been closed in accordance with applicable rules. (7-1-21)T
- **02. Backyard Composting.** Composting operations used only by the owner or person in control of a residential dwelling unit to process garbage and yard waste generated at that dwelling unit. (7-1-21)T

Section 003 Page 4 IAC Archive 2020 C2

- **03. Beneficial Use.** Various uses of ground water in Idaho including, but not limited to, domestic water supplies, industrial water supplies and agricultural water supplies. A beneficial use is defined as actual current and projected future uses of ground water. (7-1-21)T
- **O4.** Commercial Solid Waste Facility. A MSWLF owned and operated as an enterprise conducted with the intent of making a profit by any individual, association, firm, or partnership for the disposal of solid waste, but excluding a MSWLF owned or operated by a political subdivision, state or federal agency or, municipality or a MSWLF owned or operated by any individual, association, firm, or partnership exclusively for the disposal of solid waste generated by such individual, association, firm, or partnership. (7-1-21)T
 - **05.** Composting Facility. See definition of Processing Facility. (7-1-21)T
 - **Very Small Quantity Generator (VSQG) Hazardous Waste**. As defined in 40 CFR Part 260.10. (7-1-21)T
- **07. Very Small Quantity Generator (VSQG) Management Facility.** A facility or portion thereof where household hazardous waste or VSQG wastes are transferred from a vehicle or container and subsequently transported to another facility. A VSQG management facility does not include temporary drop off locations or other facilities where individuals or businesses are authorized to store waste for ultimate collection and disposal. (7-1-21)T
 - **O8.** Contamination. The introduction of a substance into the surface or ground water causing: (7-1-21)T
- a. At or beyond the point of compliance, the concentration of that substance in ground water to result in significant degradation, as determined pursuant to Subsection 400.02.b of IDAPA 58.01.11, "Ground Water Quality Rule," or in an exceedance of the maximum contamination level (MCL) specified in the Ground Water Quality Rule;

 (7-1-21)T
- **b.** The concentration of that substance in surface water exceeds a numerical criteria or fails to protect designated beneficial uses specified in the "Water Quality Standards," IDAPA 58.01.02; (7-1-21)T
- c. A statistically significant increase in the concentration of that substance in the ground water at or beyond the point of compliance, or in surface water, where the existing concentration of that substance exceeds the contamination level specified in Subsections 005.08.a. or 005.08.b. of this rule; or (7-1-21)T
- **d.** A statistically significant increase in the concentration of that substance in ground water at the point of compliance, or in surface water, above background of a substance which; (7-1-21)T
 - i. Is not specified in Subsections 005.08.a. or 005.08.b. of this rule; and (7-1-21)T
 - ii. Is a result of the disposal of solid waste; and (7-1-21)T
- iii. Has been determined by the department to present a substantial risk to human health or the environment in the concentrations found in the ground water at the point of compliance, or in surface water.

 (7-1-21)T

(/ 1 21)1

- **09. Degradation**. The lowering of ground water quality as measured in a statistically significant and reproducible manner. (7-1-21)T
 - **10. Department**. The Idaho Department of Environmental Quality. (7-1-21)T
 - 11. Director. The Director of the Idaho Department of Environmental Quality. (7-1-21)T
- **12. Disposal.** Discharge, deposit, injection, dumping, spilling, leaking, leaching, migration or placing of any solid waste into or on any land or water so that such solid waste or any constituent thereof may enter the environment or be emitted into the air or discharged into any waters, including ground water. (7-1-21)T

Section 005 Page 5 IAC Archive 2020 C2

- **13. Facility**. Any area used for any solid waste management activity, including, but not limited to, storage, transfer, processing, separation, incineration, treatment, salvaging, or disposal of solid waste. (7-1-21)T
- 14. Garbage. Any waste consisting of putrescible animal and vegetable materials resulting from the handling, preparation, cooking and consumption of food, including wastes materials from households, markets, storage facilities, handling and sale of produce and other food products. (7-1-21)T
- **15. Ground Water**. Any water of the state that occurs beneath the surface of the earth in a saturated geological formation of rock or soil. (7-1-21)T
- 16. Household Waste. Any solid waste, including kitchen wastes, trash and sanitary waste in septic tanks, derived from households, including single and multiple residences, hotels and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds and day use recreation areas. (7-1-21)T
- 17. Incinerator. Any source consisting of a furnace and all appurtenances thereto designed for the destruction of solid waste by burning. "Open Burning" is not considered incineration. (7-1-21)T
- 18. Inert Waste. Noncombustible, nonhazardous, and non-putrescible solid wastes that are likely to retain their physical and chemical structure and have a de minimis potential to generate leachate under expected conditions of disposal, which includes resistance to biological attack. "Inert waste" includes, but is not limited to, rock, concrete, cured asphaltic concrete, masonry block, brick, gravel, dirt, inert coal combustion by-products, inert precipitated calcium carbonate and inert component mixture of wood or mill yard debris. (7-1-21)T
- **19. Landfill.** An area of land or an excavation in which wastes are placed for permanent disposal, and that is not a land application unit, surface impoundment, injection well or waste pile, as those terms are defined under 40 CFR 257.2. (7-1-21)T
- **20. Leachate**. A liquid that has passed through or emerged from waste and contains soluble, suspended, or miscible materials removed from such waste. (7-1-21)T
- **21. Lift**. A vertical rise of compacted solid waste that is complete when it is no longer practical to add additional height without the addition of a cover layer to provide structural stability. (7-1-21)T
- **22. Modification**. Any change in the physical characteristics, waste types managed, method of operation, or lateral expansion beyond the boundaries of a site. The following is not considered a modification:

(7-1-21)T

a. Repair and replacement of existing equipment;

- (7-1-21)T
- **b.** Increase in production rate that does not exceed the Tier level criteria or approved facility capacity; (7-1-21)T
- **c.** An increase in hours of operation if more restrictive hours of operation are not specified in an approved operating plan; and (7-1-21)T
 - **d.** Acquisition of property that is not to be used for the processing or disposal of solid waste.

(7-1-21)T

- 23. Municipal Solid Waste Landfill Unit (MSWLF). As regulated under Chapter 74, Title 39, Idaho Code, a discrete area of land or an excavation that receives household waste, and that is not a land application unit, surface impoundment, injection well, or waste pile, as those terms are defined under 40 CFR 257.2. A MSWLF unit also may receive other types of RCRA subtitle D wastes, such as commercial solid waste, nonhazardous sludge, VSQG waste and industrial solid waste. Such a landfill may be publicly or privately owned. A MSWLF unit may be a new MSWLF unit, an existing MSWLF unit or a lateral expansion.

 (7-1-21)T
 - **24. Non-Municipal Solid Waste (NMSW)**. A solid waste that is:

(7-1-21)T

Section 005 Page 6 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

- a. Not mixed with household waste; or (7-1-21)T
- **b.** Not excluded from these rules by Subsection 001.03. (7-1-21)T
- **25. Non-Municipal Solid Waste Landfill (NMSWLF).** A landfill that accepts only non-municipal solid waste. (7-1-21)T
 - **26. Open Burning.** The combustion of solid waste without: (7-1-21)T
 - a. Control of combustion air to maintain adequate temperature for efficient combustion; (7-1-21)T
- **b.** Containment of the combustion reaction in an enclosed device so as to provide sufficient residence time and mixing for complete combustion; and (7-1-21)T
 - c. Control of the emission of the combustion products. (7-1-21)T
 - **Operator**. The person(s) responsible for the overall operation of all or part of a site or facility. (7-1-21)T
 - **28. Owner**. The person(s) who owns land or a portion of the land on which a site or facility is located. (7-1-21)T
- **29. Person**. Any individual, association, partnership, firm, joint stock company, trust, political subdivision, public or private corporation, state or federal government department, agency, or instrumentality, municipality, industry, or any other legal entity which is recognized by law as the subject of rights and duties.

 (7-1-21)T
- **30. Point of Compliance.** A vertical surface located no more than one hundred fifty (150) yards hydraulically down gradient from the active portion of a facility or site, located at the facility boundary down gradient of the land area, or located at the point of diversion of an identified beneficial use within the site, whichever is the smallest distance from the active portion. (7-1-21)T
- **31. Processing Facility**. A facility that uses biological or chemical decomposition to prepare solid waste for reuse, excluding waste handling at transfer stations or recycling centers. (7-1-21)T
- **32. Projected Waste Volume**. The total actual or potential solid waste volume measured in tons per day, cubic yards per day, or an equivalent measurement, proposed to be received or processed at a solid waste facility. (7-1-21)T
- 33. Pumpable Waste. Wastes, including non-domestic septage, sludge, wastewater and non-municipal solid wastes, which are pumped from a holding area or container into a watertight tank truck or equivalent and transported for processing or disposal. (7-1-21)T
- **34. Qualified Professional.** Qualified professional means a licensed professional geologist or licensed professional engineer, as appropriate, holding current professional registration in good standing and in compliance with applicable provisions of Chapter 12, Title 54, Idaho Code. (7-1-21)T
 - **35.** Recyclables. Used, end, or waste products with useful properties that can be reused. (7-1-21)T
- **36. Recycling**. The reclamation of solid waste and its subsequent introduction into an industrial process by which the materials are transformed into a new product in such a manner that the original identity as a product is lost. (7-1-21)T
- **37. Recycling Center.** A materials recovery facility that receives recyclables, then sorts, bales, loads, or physically alters the material and transports the commodities to markets. (7-1-21)T
 - **38.** Salvage. The reclamation of solid waste at a disposal site. (7-1-21)T

Section 005 Page 7 IAC Archive 2020 C2

39. Scavenge. The unauthorized removal of materials from a facility.

- (7-1-21)T
- **40. Septage**. A semisolid consisting of settled sewage solids combined with varying amounts of water and dissolved materials generated from a septic tank system. (7-1-21)T
- 41. Site. Any contiguous geographic area with one (1) or more facilities owned or operated by the same person used for any solid waste management activity, including, but not limited to, storage, transfer, processing, separation, incineration, treatment, salvaging, or disposal of solid waste. (7-1-21)T
 - **42. Site Size.** The sum in acres of all proposed or existing facilities.

- (7-1-21)T
- 43. Solid Waste. Any garbage or refuse, sludge from a waste water treatment plant, water supply treatment plant, or air pollution control facility and other discarded material including solid, liquid, semi-solid, or contained gaseous material resulting from industrial, commercial, mining, and agricultural operations and from community activities, but does not include solid or dissolved materials in domestic sewage, or solid or dissolved material in irrigation return flows or industrial discharges which are point sources subject to permits under Section 402 of the Federal Water Pollution Control Act, as amended (86 Stat. 880), or source, special nuclear, or by-product material as defined by the Atomic Energy Act of 1954, as amended (68 Stat. 923). (7-1-21)T
- 44. Speculative Accumulation. Stock piles of materials or recyclables to be processed for reuse or disposal when fifty percent (50%) of the material is not reused or disposed by the end of the following calendar year after the date of first receipt by the facility, and which may create a nuisance or public health impact. (7-1-21)T
 - **45. Storm Water**. Accumulation of water from natural precipitation, including snow melt. (7-1-21)T
- **46. Surface Water**. All surface accumulations of water, natural or artificial, public or private, or parts thereof which are wholly or partially within, which flow through or border upon the state, unless such waters are an integral part of the facility's operation for storm water control and or leachate management. (7-1-21)T
- **47**. **Tipping Floor**. An area at a transfer station, processing facility, VSQG management facility or incinerator that receives and contains all waste materials. (7-1-21)T
- **48. Toxic Leachate or Gas.** Concentrations of leachate or gas that will cause contamination, as defined by these rules, or that will exceed standards in the IDAPA 58.01.01, "Rules for the Control of Air Pollution in Idaho." (7-1-21)T
- 49. Transfer Station. A facility or portion thereof where solid wastes are transferred from a vehicle or container and subsequently transported off-site to another facility. A transfer station does not include an authorized rural drop-box or other facilities where persons are authorized to store individual waste for ultimate collection and disposal, or any other facility that stores solid waste generated at the facility for collection and disposal off-site.

(7-1-21)T

- **50.** Wood or Mill Yard Debris Facility. A facility that manages exclusively, solid wood, bark, or wood fiber generated from the process of manufacturing wood products that may include ash from the burning of wood waste in amounts and in conformity with the requirements of the Wood & Mill Yard Technical Guidance Manual, components of soil, rock, or moisture.

 (7-1-21)T
- **51.** Yard Waste. Weeds, straw, leaves, grass clippings, brush, wood, and other natural, organic, materials typically derived from general landscape maintenance activities. (7-1-21)T

006. ABBREVIATIONS.

01. BRC. Below Regulatory Concern.

(7-1-21)T

02. CFR. Code of Federal Regulations.

(7-1-21)T

Section 006 Page 8 IAC Archive 2020 C2

Department of Environmental Quality			Solid Waste Management Rules	
	03.	EPA. Environmental Protection Agency.	(7-1-21)T	
	04.	ISWFA. Idaho Solid Waste Facilities Act, Chapter 74, Title 39, Idaho	o Code. (7-1-21)T	
	05.	MSWLF. Municipal Solid Waste Land Fill.	(7-1-21)T	
	06.	NMSW. Non-Municipal Solid Waste.	(7-1-21)T	
	07.	NMSWLF. Non-Municipal Solid Waste Land Fill.	(7-1-21)T	
	08.	PCS. Petroleum Contaminated Soils.	(7-1-21)T	
	09.	RCRA. Resource Conservation and Recovery Act.	(7-1-21)T	
	10.	U.S.C. United States Code.	(7-1-21)T	

IDAPA 58.01.06

007. INCORPORATION BY REFERENCE.

IDAHO ADMINISTRATIVE CODE

- **01. General.** Unless expressly provided otherwise, any reference in these rules to any document identified in Subsection 007.02 shall constitute the full adoption by reference, including any notes and appendices therein. The term "documents" includes codes, standards or rules which have been adopted by an agency of the state or of the United States or by any nationally recognized organization or association. (7-1-21)T
- **02. Documents Incorporated by Reference**. The following documents are incorporated by reference into these rules: (7-1-21)T
 - **a.** 40 CFR 257.24(a), revised as of July 1, 2001. (7-1-21)T
 - **b.** 40 CFR 257.9, revised as of July 1, 2001. (7-1-21)T
- **03. Availability of Referenced Material**. Copies of the documents incorporated by reference into these rules are available at the following locations: (7-1-21)T
 - a. Department of Environmental Quality, 1410 N. Hilton, Boise ID 83706-1255. (7-1-21)T
 - b. Idaho State Law Library, 451 W. State Street, P.O. Box 83720, Boise ID 83720-0051. (7-1-21)T
- c. U.S. Government Printing Office, Superintendent of Documents, Washington, D.C. 20402, or U.S. Government Bookstore, Room 194 Federal Bldg., 915 Second Ave., Seattle, WA 98174, www.ecfr.gov. (7-1-21)T

008. (RESERVED)

009. SOLID WASTE MANAGEMENT FACILITY CLASSIFICATION.

- **01. BRC Facilities.** A facility is below regulatory concern (BRC) provided it is a processing facility that does not manage PCS or pumpable waste, and the cumulative volume of solid waste at the facility at any one (1) time is less than or equal to three hundred (300) cubic yards. (7-1-21)T
- **02. Tier I Facilities**. Tier I facilities shall comply with the requirements identified in Section 011. A facility shall be classified as a Tier I facility if the Department determines the facility is: (7-1-21)T
- a. A landfill that only accepts for disposal materials that are not likely to produce leachate including, but not limited to, glass, plastic, cardboard, wood, composition roofing material, roofing paper, or ceramics, and which has a total disposal capacity of less than or equal to two thousand (2000) cubic yards. (7-1-21)T
- **b.** A processing facility that only processes wastes including, but not limited to, untreated or unpainted wood, yard waste, sheet rock, clean paper products, animal manures, plant or crop residues, or garbage

Section 007 Page 9 IAC Archive 2020 C2

without meats or animal fats, and the cumulative volume of wastes at the facility at any one time is less than or equal to six hundred (600) cubic yards. (7-1-21)T

- c. A processing facility that only manages PCS not excluded under Subsection 001.03.a.ix. or pumpable wastes and the cumulative volume of material at the facility at any one (1) time is less than or equal to two hundred (200) cubic yards; or (7-1-21)T
- **d.** An emergency solid waste management facility that only accepts debris resulting from a natural disaster. (7-1-21)T
- 03. Tier II Facility. Tier II facilities shall comply with the Tier II general siting, operational and closure requirements and any applicable Tier II facility specific requirements. Tier II facilities are not required to install ground water monitoring wells, leachate collection systems or liners. Facilities shall be classified as a Tier II facility if the Department determines the facility is not: (1) landfilling or disposing of VSQG hazardous waste; (2) landfilling or disposing of materials with a high human pathogenic potential; (3) managing solid waste in a manner or volume that will form toxic leachate or gas; or (4) managing solid waste in a manner or volume that is likely to pose a substantial risk to human health or the environment. A Tier II facility is one that meets the four (4) above criteria and is identified below:
- a. A NMSW landfill which has a total disposal capacity greater than two thousand (2000) cubic yards; or (7-1-21)T
- **b.** A processing facility or incinerator that has a cumulative volume of wastes at the facility at any one time that is greater than six hundred (600) cubic yards; or (7-1-21)T
- c. A processing facility that only manages PCS not excluded under Subsection 001.03.a.ix or pumpable wastes and the cumulative volume of material at the facility at any one (1) time is greater than two hundred (200) cubic yards; or (7-1-21)T
 - **d.** A transfer station or VSQG waste management facility.

(7-1-21)T

O4. Tier III Facility. Tier III facilities shall comply with the Tier III general siting, operating and closure requirements, ground water monitoring requirements, install leachate collection systems, liners, air contaminant control systems and any applicable Tier III facility specific requirements. Facilities shall be classified as a Tier III facility if the Department determines the facility is: (1) a facility landfilling or disposing of VSQG hazardous waste; (2) a facility landfilling or disposing of materials with a high human pathogenic potential; (3) a facility managing solid waste in a manner or volume that will form toxic leachate or gas; or (4) a facility managing solid waste in a manner or volume that is likely to pose a substantial risk to human health or the environment.

(7-1-21)T

- **05. Wood or Mill Yard Debris Facilities.** All Wood and Mill Yard Debris Facilities that are not exempt from these Rules as provided in Section 001.03 shall be regulated as Tier I Facilities unless, based on site-specific criteria including but not limited to site geology, site soils, groundwater characteristics, distance to surface waters, and site climatic data, the Department determines the facility is more appropriately regulated under a different tier classification. Facilities not regulated as a Tier I Facility shall be regulated as a Tier II Facility unless the Department determines the facility manages waste in a manner that will form toxic leachate or gas. (7-1-21)T
- **O6. Site Specific Classification.** An owner or operator of a facility classified as a Tier I, Tier II or Tier III facility may request to be regulated pursuant to the requirements of a lower classification. An owner or operator requesting site specific classification must submit information demonstrating to the Department that, when in compliance with the requirements of a lower classification, the facility would not cause contamination, toxic leachate or gas, or concentrations of a substance that exceed standards in the IDAPA 58.01.01 "Rules for the Control of Air Pollution in Idaho." The information included in any request under this subsection shall include: (7-1-21)T

a. Characterization of waste and expected quantities of waste;

(7-1-21)T

b. Site characterization including;

(7-1-21)T

Section 009 Page 10 IAC Archive 2020 C2

IDAHO ADMINISTRATIVE CODE
Department of Environmental Quality

IDAPA 58.01.06 Solid Waste Management Rules

i.	Site geology report;	(7-1-21)T
ii.	Site soils report;	(7-1-21)T
iii.	Ground water report;	(7-1-21)T
iv.	Site climatic data;	(7-1-21)T
c.	Facility Design Plan;	(7-1-21)T
d.	Operating Plan; and	(7-1-21)T
e.	Closure Plan.	(7-1-21)T

07. General and Site Specific Classification Process. The Department's review of a request for a site specific classification shall be conducted pursuant to the process set forth in Section 032. (7-1-21)T

010. BELOW REGULATORY CONCERN FACILITIES.

- **01. Applicable Requirements**. The owner and operator of a BRC facility shall comply with the following requirements prior to accepting waste. (7-1-21)T
 - **a.** Prohibited Activities. The following activities are prohibited: (7-1-21)T
- i. Disposal in a landfill of regulated waste from any business that provides health care, support to health care businesses, or medical diagnostic services that has not been decontaminated. "Regulated waste" and "decontaminated" for the purpose of Section 010 will have the same meaning as defined at 29 CFR 1910.1030;

 (7-1-21)T
 - ii. Speculative accumulation, unless otherwise approved by the Department in writing; and (7-1-21)T
- iii. Disposal of radioactive waste except in a facility regulated pursuant to Section 39-4405(9), Idaho Code, and rules adopted thereunder or a facility regulated under the authority of The Atomic Energy Act of 1954, as amended.

 (7-1-21)T
 - **b.** Nuisance Control. The owner and operator shall control nuisances, including but not limited to: (7-1-21)T
- i. Disease or discomfort. Operations at any facility shall not provide sustenance to rodents or insects that cause human disease or discomfort; (7-1-21)T
- ii. Vector. Vector control procedures shall prevent or control vectors that may cause health hazards or nuisances; (7-1-21)T
 - iii. Odor. The facility shall be operated to control malodorous gases; and (7-1-21)T
- iv. Litter. Effective measures shall be taken to minimize the loss of debris from the facility. Debris blown from or within the facility shall be collected and properly disposed to prevent objectionable accumulations.

 (7-1-21)T
- c. Bird Hazards to Aircraft. No facility may handle putrescible wastes in such a manner that may attract birds and increase the likelihood of bird/aircraft collisions. Facilities that are located within ten thousand (10,000) feet of any airport runway used by turbojet aircraft, or within five thousand (5,000) feet of any airport used by only piston-type aircraft shall operate the facility in such a manner that birds are not a hazard to aircraft; and (7-1-21)T

Section 010 Page 11 IAC Archive 2020 C2

- **d.** Open Burning and Fires. Open burning is prohibited at facilities except as authorized by Section (7-1-21)T
- **02. Application Content, Review and Approval Requirements**. The owner and operator of a BRC facility are not required to submit an application. (7-1-21)T
- **03. Documentation Requirements**. The owner and operator shall maintain on site documentation, such as a daily log of the quantity and type of waste received or managed, that verifies the facility's BRC status.

 (7-1-21)T

011. APPLICABLE REQUIREMENTS FOR TIER I FACILITIES.

- **01. Applicable Requirements.** The owner and operator of a Tier I facility shall comply with the following requirements prior to accepting waste. (7-1-21)T
 - **a.** Prohibited Activities. The following activities are prohibited: (7-1-21)T
- i. Disposal in a landfill of regulated waste from any business that provides health care, support to health care businesses, or medical diagnostic services that has not been decontaminated. "Regulated waste" and "decontaminated" for the purpose of Section 011 will have the same meaning as defined at 29 CFR 1910.1030;

 (7-1-21)T
 - ii. Speculative accumulation, unless otherwise approved by the Department in writing; and (7-1-21)T
- iii. Disposal of radioactive waste except in a facility regulated pursuant to Section 39-4405(9), Idaho Code, and rules adopted thereunder or a facility regulated under the authority of The Atomic Energy Act of 1954, as amended.

 (7-1-21)T
- **b.** Signs. Facilities open to the general public shall clearly post visible and legible signs at each entrance to the facility. The signs shall specify at a minimum the name of the facility, the hours of operation, the waste accepted at the facility and an emergency phone number. (7-1-21)T
 - **c.** Nuisance Control. The owner and operator shall control nuisances, including but not limited to: (7-1-21)T
- i. Disease or Discomfort. Operations at any facility shall not provide sustenance to rodents or insects that cause human disease or discomfort; (7-1-21)T
- ii. Vector. Vector control procedures shall prevent or control vectors that may cause health hazards or nuisances; (7-1-21)T
 - iii. Odor. The facility shall be operated to control malodorous gases; and (7-1-21)T
- iv. Litter. Effective measures shall be taken to minimize the loss of debris from the facility. Debris blown from or within the facility shall be collected and properly disposed to prevent objectionable accumulations.

 (7-1-21)T
- **d.** Facility Access. Unauthorized vehicles and persons shall be prohibited access to the facility. A facility open to the public shall accept waste only when an attendant is on duty. The facility shall be fenced or otherwise blocked to access when an attendant is not on duty. The owner and operator shall maintain the fencing or other access controls for a period of ten (10) years after closure, or another timeframe approved in writing by the Department. (7-1-21)T
- e. Bird Hazards to Aircraft. No facility may handle putrescible wastes in such a manner that may attract birds and increase the likelihood of bird/aircraft collisions. Facilities that are located within ten thousand (10,000) feet of any airport runway used by turbojet aircraft, or within five thousand (5,000) feet of any airport used by only piston-type aircraft shall operate the facility in such a manner that birds are not a hazard to aircraft.(7-1-21)T

Section 011 Page 12 IAC Archive 2020 C2

- **f.** Open Burning and Fires. Open burning is prohibited at facilities except as authorized by Section (7-1-21)T
- g. Storm Water Run-On/Run-Off Controls. Implement sufficient storm water management provisions, which may incorporate a NPDES storm water pollution prevention plan, to prevent contamination of surface or ground water and prevent the spread and impact of contamination beyond the boundary of the facility. (7-1-21)T
- h. Variance Request. An owner and operator may submit a written variance request for a variance from the requirements listed in Section 011. The owner and operator must demonstrate to the Department that the variance is at least as protective of human health and the environment as the requirements listed in Section 011.

 (7-1-21)T
- **02. Application Content, Review and Approval Requirements.** The owner and operator of a Tier I facility shall submit notification to the Department prior to operating. The notice shall include; the owners name, operators name, physical location of site, mailing address, facility phone number and type of solid waste management facility.

 (7-1-21)T
- **03. Documentation Requirements.** The owner and operator shall maintain on site documentation, such as a daily log of the quantity and type of waste received, that verifies the facility's Tier I status. (7-1-21)T

012. APPLICABLE REQUIREMENTS FOR TIER II FACILITIES.

The owner and operator of a Tier II facility shall establish compliance with the requirements of Section 012 by obtaining Department approval of the applications required in Subsection 012.02 before beginning construction and Subsection 012.04 prior to accepting waste. The owner and operator of a Tier II facility shall meet the requirements of Subsection 012.05 prior to facility closure. (7-1-21)T

- **01. General Siting Requirements**. The owner and operator of a Tier II facility shall comply with the following siting requirements: (7-1-21)T
- a. Flood Plain Restriction. A facility shall not be located within a one hundred (100) year flood plain if the facility will restrict the flow of the one hundred (100) year flood, reduce the temporary water storage capacity of the flood plain, or result in a washout of solid waste so as to pose a hazard to human health and the environment.

 (7-1-21)T
- **b.** Endangered or Threatened Species Restriction. The facility shall not cause or contribute to the taking of any endangered or threatened species of plants, fish, or wildlife or result in the destruction or adverse modification of the critical habitat of endangered or threatened species as identified in 50 CFR Part 17. (7-1-21)T
- c. Surface Water Restriction. The active portion of a facility shall be located such that the facility shall not cause contamination of surface waters, unless such surface waters are an integral part of the non-municipal solid waste management facility's operation for storm water and/or leachate management. (7-1-21)T
- d. Park, Scenic or Natural Use Restriction. The active portion of a facility shall not be located closer than one thousand (1,000) feet from the boundary of any state or national park, or land reserved or withdrawn for scenic or natural use including, but not limited to, wild and scenic areas, national monuments, wilderness areas, historic sites, recreation areas, preserves and scenic trails. (7-1-21)T
- e. Variance from Siting Requirement. An owner or operator of a facility that cannot meet the siting requirements of Section 012 may apply for a variance from the Department. The Department shall approve a written request for a variance provided the owner and operator demonstrate to the Department that the variance is at least as protective of public health and the environment as the siting requirements in Section 012. (7-1-21)T
- **O2. Siting Application.** Documentation shall be submitted to the Department demonstrating compliance with the siting requirements and restrictions specified in Subsection 012.01 within the time frames specified in Section 012. If the documentation has been certified by a qualified professional, the Director shall approve the siting application unless the Director finds the evidence supports a contrary opinion. A map indicating

Section 012 Page 13 IAC Archive 2020 C2

IDAHO ADMINISTRATIVE CODE
Department of Environmental Quality

IDAPA 58.01.06 Solid Waste Management Rules

the following s	hall also be submitted to the Department as part of a Siting Application:	(7-1-21)T
a.	Highways, roads, and adjacent communities;	(7-1-21)T
b.	Property boundaries;	(7-1-21)T
c.	Total acreage of the site;	(7-1-21)T
d.	Off-site and on-site access roads and service roads;	(7-1-21)T
e.	Type(s) of land use adjacent to the facility and a description of all facilities on the site;	(7-1-21)T
f. within one-qua	All water courses, ponds, lakes, reservoirs, canals, irrigation systems, and existing warter (1/4) mile of the proposed facility property lines;	ter supplies, (7-1-21)T
g. existing utilitie	High tension power line rights-of-way, fuel transmission pipeline rights-of-way, and ps;	roposed and (7-1-21)T
h.	Proposed or existing fencing;	(7-1-21)T
i. boundary. This	Proposed and existing structures at the facility and within five hundred (500) feet of shall include location of employee buildings, and scales (if provided); and	the facility (7-1-21)T
j.	Direction of prevailing winds.	(7-1-21)T
03. the following o	General Operating Requirements . The owner and operator of a Tier II facility shall operating requirements:	comply with (7-1-21)T
a.	Prohibited Activities. The following activities are prohibited:	(7-1-21)T
	Disposal in a landfill of regulated waste from any business that provides health care sinesses, or medical diagnostic services that has not been decontaminated. "Regulated ed" for the purpose of Section 012 have the same meaning as defined at 29 CFR 1910.103	waste" and
ii.	Speculative accumulation, unless otherwise approved in an operating plan; and	(7-1-21)T
iii. Code, and rules amended.	Disposal of radioactive waste except in a facility regulated pursuant to Section 39-446 adopted thereunder or a facility regulated under the authority of The Atomic Energy Act	05(9), Idaho t of 1954, as (7-1-21)T
	Signs. Facilities open to the general public shall clearly post visible and legible si facility specifying, at a minimum, the name of the facility, the hours of operation, the wand an emergency phone number.	
c. disposal or prod	Waste Types. Only the solid waste types listed in the approved operating plan may be cessing.	accepted for (7-1-21)T
d. solid waste deli	Waste Monitoring and Measurement. Provisions shall be made for monitoring or mivered to a facility. The waste monitoring program shall include:	easuring all (7-1-21)T
i.	A daily written log listing the types and quantities of wastes received;	(7-1-21)T
ii.	A plan for monitoring and handling receipt of unauthorized wastes;	(7-1-21)T
iii.	Routine characterization of the wastes received; and	(7-1-21)T
iv.	Other measures included in an approved Operating Plan.	(7-1-21)T

Section 012 Page 14 IAC Archive 2020 C2

- e. Communication. Communication devices shall be available or reasonably accessible at the site.
 (7-1-21)T
- **f.** Fire Prevention and Control. Adequate provisions shall be made for controlling or managing fires at the site. (7-1-21)T
- g. Facility Access. Unauthorized vehicles and persons shall be prohibited access to the facility. A facility open to the public shall accept waste only when an attendant is on duty. The facility shall be fenced or otherwise blocked to access when an attendant is not on duty. (7-1-21)T
- **h.** Scavenging and Salvaging. Scavenging by the public at a facility is prohibited; however, salvaging may be conducted in accordance with a written operations plan and only by the owner, operator or an authorized agent. (7-1-21)T
 - i. Nuisance Control. The owner and operator shall control nuisances, including but not limited to:
 (7-1-21)T
- i. Disease or Discomfort. Operations at any facility shall not provide sustenance to rodents or insects that cause human disease or discomfort; (7-1-21)T
- ii. Vector. Vector control procedures shall prevent or control vectors that may cause health hazards or nuisances; (7-1-21)T
 - iii. Odor. The facility shall be operated to control malodorous gases; and (7-1-21)T
- iv. Litter. Effective measures shall be taken to minimize the loss of debris from the facility. Debris blown from or within the facility shall be collected and properly disposed to prevent objectionable accumulations.

 (7-1-21)T
- j. Bird Hazards to Aircraft. No facility may handle putrescible wastes in such a manner that may attract birds and increase the likelihood of bird/aircraft collisions. Facilities that are located within ten thousand (10,000) feet of any airport runway used by turbojet aircraft, or within five thousand (5,000) feet of any airport used by only piston-type aircraft shall operate the facility in such a manner that birds are not a hazard to aircraft.(7-1-21)T
- **k.** Open Burning and Fires. Open burning is prohibited at facilities except as authorized by Section (7-1-21)T
- l. Storm Water Run-On/Run-Off Controls. The operating plan shall include sufficient storm water management provisions, which may incorporate a NPDES storm water pollution prevention plan, to prevent contamination of surface and ground water and prevent the spread and impact of contamination beyond the boundary of the facility. (7-1-21)T
- m. Variance Request. An owner and operator of a facility may submit to the Department a written variance request for a variance from the operating requirements listed in Section 012. The Department shall approve a written request for a variance provided the owner and operator demonstrate to the Department that the variance is at least as protective of human health and the environment as the requirements listed in Section 012. (7-1-21)T
- Operating Plan. The owner and operator of a Tier II facility shall submit to the Department an Operating Plan containing that information required by Subsection 012.03, within the time frames stated in Section 012. An Operating Plan shall include a description of the wastes to be accepted, the methods for maintaining compliance with each of the applicable general operating requirements of Subsection 012.03, and complies with any applicable facility specific requirements found in Subsections 012.09 through 012.11. (7-1-21)T
- **05.** Closure Requirement. The owner and operator of a Tier II facility shall comply with the following closure and post-closure care requirements: (7-1-21)T

Section 012 Page 15 IAC Archive 2020 C2

- a. Public Notice. For a facility open to the public the owner and operator shall provide public notice of the facility's closure by publishing a notice in the local newspaper and posting signs at the facility's entrance. This notice shall be published and the signs posted;

 (7-1-21)T
- i. At least thirty (30) days and no more than ninety (90) days prior to the date of last receipt of waste for a facility that has reached disposal capacity; or (7-1-21)T
- ii. If the facility has remaining capacity and there is a reasonable likelihood that the facility will receive additional waste, a notice shall be published and signs posted at least thirty (30) days and no more than ninety (90) days prior to closure. (7-1-21)T
- **b.** Facility Closure. Unless the Department establishes an alternate closure time period, the owner and operator shall close the facility within six (6) months of the Department's approval of the Closure Plan. The facility shall be closed in accordance with the approved Closure Plan. (7-1-21)T
- c. Clean Site/Access Control. The owner and operator shall close the facility by managing or removing all solid waste to prevent impact to human health or the environment and installing a gate or other device to prevent public access after the last receipt of waste; and (7-1-21)T
- **d.** Drainage and Erosion Control. The owner and operator shall install appropriate measures to control erosion and install appropriate measures to control the run-on and runoff from a twenty-five (25) year, twenty-four (24) hour storm event and to provide for the diversion of other surface waters from the closed facility. (7-1-21)T
- e. Closure Plan Certification. Within thirty (30) days of closure, the owner and operator shall notify the Department in writing that the facility was closed in accordance with the approved Closure Plan. If closure of the facility is different from the approved Closure Plan, the owner and operator shall submit for Department review and approval documents, such as "as-built" plans, showing the final conditions of the facility. (7-1-21)T
- **06.** Closure Plan Application. Except as specified in Subsection 012.10, the owner and operator of a Tier II facility shall submit to the Department a Closure Plan Application containing the following information no later than ninety (90) days before the date on which the facility receives the known final receipt of wastes or, if the facility has remaining capacity and there is a reasonable likelihood that the facility will receive additional wastes, no later than one (1) year after the most recent receipt of wastes:

 (7-1-21)T
 - **a.** A complete and accurate legal description of the facility; (7-1-21)T
 - **b.** A map of the facility, showing pertinent facility features, including: (7-1-21)T
- i. Facility boundaries, drainage patterns, location of fill areas, and location of access control measures; (7-1-21)T
- ii. All water courses, ponds, lakes, reservoirs, canals, irrigation systems, and existing water supplies, within one-quarter (1/4) mile of the facility boundary; (7-1-21)T
 - iii. Location of disposal trenches and description of waste disposed; and (7-1-21)T
- iv. Proposed final contours of the closed facility, drawn to a reasonable scale with five (5) foot intervals for the operational area, and ten (10) foot intervals for the remainder of the facility; (7-1-21)T
 - **c.** Estimated date of last receipt of waste; (7-1-21)T
 - **d.** A description of how public access to the closed facility will be controlled; (7-1-21)T
 - **e.** Estimated total cubic yards, or tons, of waste in place; (7-1-21)T
 - f. Total acreage of the facility and acres containing waste; (7-1-21)T

Section 012 Page 16 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

g. Closure equipment and procedures to be used; (7-1-21)T

h. Texture, depth and permeability of final cover material; (7-1-21)T

i. Design and construction plan for any necessary final cover; (7-1-21)T

j. Placement, design, and management of run-on and run-off storm water controls; (7-1-21)T

k. Types of vegetation and planting procedures to be used for establishing vegetative cover; (7-1-21)T

l. Other closure information the Department determines is necessary to protect human health and the environment. (7-1-21)T

- **07. Documentation Requirements**. The owner and operator of a Tier II facility shall maintain on site a copy of each Department-approved Application and Plan required by Section 012. (7-1-21)T
- **08. Modification Application**. The owner and operator shall submit to the Department for review and approval a Modification Application describing any proposed modification. The owner and operator of a Tier II facility shall not implement the modification prior to Department approval. If a proposed modification alters the classification of a facility, the owner and operator shall comply with the application content, review and approval requirements for the new classification. (7-1-21)T
- **09. Tier II Processing Facilities.** In addition to the requirements in Subsections 012.01 through 012.08, the owner and operator of a Tier II processing facility shall also comply with the following requirements: (7-1-21)T

a. Siting Requirements: (7-1-21)T

i. Ground Water. The active portion of a facility shall be located, designed and constructed such that the facility shall not cause contamination to a drinking water source or cause contamination of the ground water.

(7-1-21)T

- ii. Geologic Restrictions. No facility may be located on land that would threaten the integrity of the design. (7-1-21)T
- iii. Property Line Restriction. The active portion of a facility shall not be located closer than one hundred (100) feet to the property line. (7-1-21)T
- **b.** Siting Application. The owner and operator shall provide in the Siting Application documentation that demonstrates compliance with the siting requirements specified in Subsection 012.01 and 012.09.a. (7-1-21)T
 - c. Operating Requirements: (7-1-21)T
- i. Odor Management Plan. The owner and operator of a Tier II processing facility shall implement a Department approved Odor Management Plan designed to minimize malodorous gases. An Odor Management Plan shall include specific operating criteria for oxygen, moisture and temperature levels appropriate for the wastes to be processed and processing technologies to be employed, methods used to maintain the specific operating criteria and a monitoring strategy that includes the frequency and parameters for monitoring the specific operating criteria.

(7-1-21)T

- ii. Documentation requirement. The owner and operator of a processing facility shall maintain documentation of compliance with Section 012, including an operational log of the methods used to maintain the operating criteria and sampling results. (7-1-21)T
- **d.** Operating Plan. The operating plan required in Subsection 012.04 shall identify methods used for maintaining compliance with each applicable operating requirement of Subsection 012.03 and Subsection 012.09.c. (7-1-21)T

Section 012 Page 17 IAC Archive 2020 C2

- 10. Tier II Incinerators, VSQG Management Facility and Transfer Stations. In addition to the requirements in Subsections 012.01 through 012.04 and Subsections 012.07 and 012.08, the owner and operator of a Tier II incinerator, VSQG management facility or transfer station shall comply with the following requirements:
 - (7-1-21)T
- **a.** Design Requirements. The owner and operator shall comply with the following design requirements: (7-1-21)T
- i. A tipping floor design constructed of impermeable and durable material and designed to contain, collect, and convey any liquids to a storage or leachate management system; and (7-1-21)T
 - ii. A leachate storage or management system. (7-1-21)T
- **b.** Design Application. The following information shall be submitted to the Department in a Design Application: (7-1-21)T
 - i. A description of the tipping floor design; (7-1-21)T
 - ii. A description of the storage or leachate management system design; (7-1-21)T
 - iii. Building and construction design blueprints; (7-1-21)T
- iv. A map illustrating a storm water run-on/run-off system designed to prevent contamination of surface and ground water, and prevent the spread and impact of contamination beyond the boundary of the facility; and (7-1-21)T
- v. Operational design and capacity information including a description of the waste types and projected daily and annual waste volumes. (7-1-21)T
- **c.** Operating Requirements. The owner and operator of a Tier II facility shall comply with the following operating requirements: (7-1-21)T
- i. Implement cleaning procedures and waste residency times to maintain sanitary conditions on the surface of the tipping floor; and (7-1-21)T
 - ii. Implement and operate a leachate storage or management system. (7-1-21)T
- **d.** Closure Requirement. The owner and operator of a Tier II facility shall comply with the following closure and post-closure care requirements: (7-1-21)T
- i. Public Notice. For a facility open to the public the owner and operator shall provide public notice of the facility's closure by publishing a notice in the local newspaper and posting signs at the facility's entrance. This notice shall be published and the signs posted at least thirty (30) days prior to closure; (7-1-21)T
- ii. Facility Closure. The owner and operator shall close the facility by removing all solid waste to prevent impact to human health or the environment and installing a gate or other device to prevent public access after the last receipt of waste;

 (7-1-21)T
- iii. Closure Time Period. Unless the Department establishes an alternate closure time period, the owner and operator shall close the facility within two (2) months of the Department's approval of the Closure Plan. The facility shall be closed in accordance with the approved Closure Plan; and (7-1-21)T
- iv. Closure Plan Certification. Within thirty (30) days of closure, the owner and operator shall notify the Department in writing that the facility was closed in accordance with the approved Closure Plan. If closure of the facility is different from the approved Closure Plan, the owner and operator shall submit for Department review and approval documents, such as "as-built" plans, showing the final conditions of the facility. (7-1-21)T

Section 012 Page 18 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

(7-1-21)T

(7-1-21)T

(7-1-21)T

	Closure Plan Application. The owner and operator shall submit to the Department a Containing the following information no later than ninety (90) days before the date on which own final receipt of wastes:	
i.	A complete and accurate legal description of the facility;	(7-1-21)T
ii. patterns, and lo	A map of the facility, showing pertinent facility features, including facility boundarication of access control measures;	es, drainage (7-1-21)T
iii.	Estimated date of last receipt of waste;	(7-1-21)T
iv.	A description of how public access to the closed facility will be controlled;	(7-1-21)T
v.	Closure equipment and procedures to be used;	(7-1-21)T
vi.	Anticipated future uses for the facility; and	(7-1-21)T
vii. environment.	Other closure information the Department determines is necessary to protect human ho	ealth and the (7-1-21)T
11. owner and oper	Tier II NMSWLF . In addition to the requirements in Subsections 012.01 through rator of a Tier II NMSWLF shall also comply with the following requirements:	012.08, the (7-1-21)T
a.	Siting Requirements:	(7-1-21)T
i.	Wetlands. A facility shall not be located in wetlands, except as provided in 40 CFR 257	7.9. (7-1-21)T
ii. the facility shal	Ground Water. The active portion of a facility shall be located, designed and construct l not cause contamination to a drinking water source or cause contamination of the ground	
iii. design.	Geologic Restrictions. No facility may be located on land that would threaten the interest of the second se	egrity of the (7-1-21)T
iv. hundred (100) t	Property Line Restriction. The active portion of a facility shall not be located closfeet to the property line.	er than one (7-1-21)T
b. that demonstrat	Siting Application. The owner and operator shall provide in the Siting Application do ses compliance with the siting requirements specified in Subsections 012.01 and 012.11.a.	
c. approval:	Design Application. The owner and operator shall provide the following information	n for design (7-1-21)T
i.	A facility map illustrating:	(7-1-21)T
(1)	Surface water and erosion control systems;	(7-1-21)T
	Proposed fill area, including the location of waste disposal trenches or cells, noting the for separated wastes such as animal carcasses, tree trunks, stumps, bulky wastes, car bodicontaminated soils;	

Section 012 Page 19 IAC Archive 2020 C2

Location of borrow areas;

Design elevation grade of final cover;

Soil and water table test boring holes, wells, or excavations;

(3)

(4)

(5)

- (6) Proposed receiving, storage, and processing areas; (7-1-21)T
- (7) Proposed trench layout and development; and (7-1-21)T
- (8) Contour lines at five (5) foot intervals within the operating area and ten (10) foot intervals to the facility boundary. (7-1-21)T
- **d.** Operating Requirements: The owner and operator of a NMSWLF shall comply with the following operating requirements: (7-1-21)T
 - i. Compaction and placement of waste in locations consistent with the approved operating plan; (7-1-21)T
 - ii. Provision for storage of waste during periods when the NMSWLF is inaccessible; (7-1-21)T
- iii. Application of a six (6) inch compacted soil cover layer on exposed waste as necessary to prevent nuisance and vector conditions at periods consistent with the approved operating plan. An owner and operator may request that the Department approve an alternate cover that addresses vectors, litter, fire, odor, and scavenging concerns;

 (7-1-21)T
- iv. Placement of an interim cover layer of twelve (12) inches of compacted soil between lifts to provide erosion control and structural stability. An owner and operator may request that the Department approve an alternate interim cover that addresses erosion, and stability for subsequent lifts; (7-1-21)T
 - v. Preservation of existing vegetation where attainable. (7-1-21)T
- e. Operating Plan. The operating plan required in Subsection 012.04 shall identify the methods used for maintaining compliance with each applicable operating requirement of Subsection 012.03 and Subsection 012.11.d.; (7-1-21)T
- **f.** Closure Requirements. The owner and operator of a Tier II NMSWLF shall comply with the following closure requirements: (7-1-21)T
- i. Final Cover. Within seven (7) days of the date of last receipt of waste, a cover layer shall be applied to prevent nuisances and vector conditions. Within one hundred and twenty (120) days of the date of last receipt of waste, a final cover layer of eighteen (18) inches of compacted soil with an approved in-place permeability designed to minimize infiltration, or its functional equivalent, and, a six (6) inch soil layer that minimizes erosion and sustains plant growth shall be constructed; (7-1-21)T
- ii. Facility Stabilization. All disturbed portions of the facility shall be stabilized. Stabilization practices may include but are not limited to: establishment of vegetation, mulching, geotextiles, and sod stabilization; (7-1-21)T
- iii. Slope Stability. Finished grade shall be at a minimum of two percent (2%) and a maximum of thirty- three percent (33%) slope on the final surface of the completed fill area, after settlement; and (7-1-21)T
- iv. Drainage Control. The completed landfill shall be graded to prevent surface water ponding and erosion, and to conform to the local topography. (7-1-21)T
- g. Closure Plan. The owner and operator shall provide in the Closure Plan documentation that demonstrates compliance with closure requirements specified in Subsections 012.05 and 012.11.f. (7-1-21)T
 - h. Environmental Covenants: (7-1-21)T
- i. After completion and certification of closure of a NMSWLF, the owner and operator shall record an environmental covenant, pursuant to the Uniformed Environmental Covenants Act (UECA) Chapter 30, Title 55,

Section 012 Page 20 IAC Archive 2020 C2

Idaho Code, on the property where the landfill facility is located and its future use may be restricted in accordance with a post-closure care plan. A copy of the environmental covenant shall be sent to the Department after recording with the county clerk;

(7-1-21)T

- ii. The owner may request permission from the Department to remove the environmental covenant if all wastes are removed from the facility; (7-1-21)T
- iii. Federal agencies with responsibility for management of landfills on federal property shall make an environmental covenant or notation in the federal property records for the affected property. If the subject property is ever sold or transferred by the federal government, a notation on the deed or patent shall be made. (7-1-21)T
- i. Post-Closure Care Plan. Owners and operators of a NMSWLF shall submit, in accordance with the time frames specified in Subsection 012.06, to the Department for review and approval a Post-Closure Care Plan, shall obtain Department approval of the Plan, and shall conduct post-closure care in accordance with the Plan. The Post-Closure Care Plan shall typically contain:

 (7-1-21)T
- i. The name and address of an agent authorized to accept communications or service during the post-closure period. The name may be changed during the post-closure period by providing the Department with twenty (20) days advance written notice of the change; (7-1-21)T
 - ii. Provisions to maintain the integrity and effectiveness of the final cover; (7-1-21)T
- iii. Provisions to continue to maintain and operate the systems required in the operating plan including run-on/run-off control systems; (7-1-21)T
 - iv. Provisions to maintain appropriate security of the closed facility; (7-1-21)T
- v. Provisions for routine facility inspections by the owner and operator to insure compliance with the Post-Closure Care Plan; and (7-1-21)T
 - vi. A description of the planned use(s) of the property during the post-closure care period: (7-1-21)T
- **j.** Post-closure care for the NMSWLF shall be conducted for a period of five (5) years, unless the Department establishes in writing an alternate facility-specific post-closure care period. (7-1-21)T
- **k.** Post-Closure Standards and Inspection. Post-closure use or operation of the site shall not disturb any final cover or storm water control systems in a manner that will increase the potential to threaten human health or the environment. (7-1-21)T
- l. The approved Post-Closure Care Plan shall be maintained and available for review on request by the Department. (7-1-21)T

013. APPLICABLE REQUIREMENTS FOR TIER III FACILITIES.

The owner and operator of a Tier III facility shall establish compliance with the requirements of Section 013 by obtaining Department approval of the applications required in Subsection 013.02 before beginning construction and Subsection 013.04 prior to accepting waste. The owner and operator of a Tier III facility shall meet the requirements of Subsection 012.07 prior to facility closure. (7-1-21)T

- **01. General Siting Requirements**. The owner and operator of a Tier III facility shall comply with the following siting requirements: (7-1-21)T
- **a.** Flood Plain Restriction. A facility shall not be located within a one hundred (100) year flood plain if the facility will restrict the flow of the one hundred (100) year flood, reduce the temporary water storage capacity of the flood plain, or result in a washout of solid waste so as to pose a hazard to human health and the environment.

 (7-1-21)T
 - **b.** Endangered or Threatened Species Restriction. The facility shall not cause or contribute to the

Section 013 Page 21 IAC Archive 2020 C2

taking of any endangered or threatened species of plants, fish, or wildlife or result in the destruction or adverse modification of the critical habitat of endangered or threatened species as identified in 50 CFR Part 17. (7-1-21)T

- c. Surface Water Restriction. The active portion of a facility shall be located such that the facility shall not cause contamination of surface waters, unless such surface waters are an integral part of the non-municipal solid waste management facility's operation for storm water and/or leachate management. (7-1-21)T
- **d.** Ground Water. The active portion of the facility shall be located, designed and constructed such that the facility shall not cause contamination to a drinking water source or cause contamination of ground water.

(7-1-21)T

- **e.** Geologic Restrictions. No facility may be located on land that would threaten the integrity of the design. (7-1-21)T
- f. Property Line Restriction. The active portion of a facility shall not be located closer than one hundred (100) feet to the property line. (7-1-21)T
- g. Park, Scenic or Natural Use Restriction. The active portion of a facility shall not be located closer than one thousand (1,000) feet from the boundary of any state or national park, or land reserved or withdrawn for scenic or natural use including, but not limited to, wild and scenic areas, national monuments, wilderness areas, historic sites, recreation areas, preserves and scenic trails. (7-1-21)T
- h. Variance from Siting Requirement. Any facility that does not meet the siting requirements of Section 013 may apply for a variance from the Department. The Department may approve a written request for a variance provided the owner and operator demonstrate to the Department that the variance is at least as protective of public health and the environment as the siting requirements in Section 013. (7-1-21)T
- **02. Siting Application.** Documentation shall be submitted to the Department demonstrating compliance with the siting requirements and restrictions specified in Subsection 013.01 within the time frames specified in Section 013. If the documentation has been certified by a qualified professional, the Director shall approve the siting application unless the Director finds the evidence supports a contrary opinion. A map indicating the following shall also be submitted to the Department as part of a Siting Application: (7-1-21)T
 - a. Highways, roads, and adjacent communities; (7-1-21)T
 - **b.** Property boundaries; (7-1-21)T
 - c. Total acreage of the site; (7-1-21)T
 - **d.** Off-site and on-site access roads and service roads; (7-1-21)T
 - e. Type(s) of land use adjacent to the facility and a description of all facilities on the site; (7-1-21)T
- **f.** All water courses, ponds, lakes, reservoirs, canals, irrigation systems, and existing water supplies, within one-quarter (1/4) mile of the proposed facility property lines; (7-1-21)T
- **g.** High tension power line rights-of-way, fuel transmission pipeline rights-of-way, and proposed and existing utilities; (7-1-21)T
 - **h.** Proposed or existing fencing; (7-1-21)T
- i. Proposed and existing structures at the facility and within five hundred (500) feet of the facility boundary. This shall include location of employee buildings, and scales (if provided); and (7-1-21)T
 - j. Direction of prevailing winds. (7-1-21)T
 - **O3.** General Operating Requirements. The owner and operator of a Tier III facility shall comply with

Section 013 Page 22 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

(7-1-21)T

the following operating requirements:

- Prohibited Activities. The following activities are prohibited: (7-1-21)T
- i. Disposal in a landfill of regulated waste from any business that provides health care, support to health care businesses, or medical diagnostic services that has not been decontaminated. "Regulated waste" and "decontaminated" for the purpose of Section 013 have the same meaning as defined at 29 CFR 1910.1030; (7-1-21)T
 - ii. Speculative accumulation, unless otherwise approved in an operating plan; and (7-1-21)T
- iii. Disposal of radioactive waste except in a facility regulated pursuant to Section 39-4405(9), Idaho Code and rules adopted thereunder or a facility regulated under the authority of The Atomic Energy Act of 1954, as amended.

 (7-1-21)T
- **b.** Signs. Facilities open to the general public shall clearly post visible and legible signs at each entrance to the facility specifying, at a minimum, the name of the facility, the hours of operation, the waste accepted at the facility and an emergency phone number. (7-1-21)T
- **c.** Waste Types. Only the solid waste types listed in the approved operating plan may be accepted for disposal or processing. (7-1-21)T
- **d.** Waste Monitoring and Measurement. Provisions shall be made for monitoring or measuring all solid waste delivered to a facility. The waste monitoring program shall include: (7-1-21)T
 - i. A daily written log listing the types and quantities of wastes received; (7-1-21)T
 - ii. A plan for monitoring and handling receipt of unauthorized wastes; (7-1-21)T
 - iii. Routine characterization of the wastes received; and (7-1-21)T
 - iv. Other measures included in an approved Operating Plan. (7-1-21)T
 - e. Communication. Communication devices shall be available or reasonably accessible at the site.
 (7-1-21)T
- **f.** Fire Prevention and Control. Adequate provisions shall be made for controlling or managing fires at the site. (7-1-21)T
- **g.** Facility Access. Unauthorized vehicles and persons shall be prohibited access to the facility. A facility open to the public shall accept waste only when an attendant is on duty. The facility shall be fenced or otherwise blocked to access when an attendant is not on duty. (7-1-21)T
- **h.** Scavenging and Salvaging. Scavenging by the public at a facility is prohibited; however, salvaging may be conducted in accordance with a written operating plan and only by the owner, operator or an authorized agent. (7-1-21)T
 - i. Nuisance Control. The owner and operator shall control nuisances, including but not limited to: (7-1-21)T
- i. Disease or Discomfort. Operations at any facility shall not provide sustenance to rodents or insects that cause human disease or discomfort; (7-1-21)T
- ii. Vector. Vector control procedures shall prevent or control vectors that may cause health hazards or nuisances; (7-1-21)T
 - iii. Odor. The facility shall be operated to control malodorous gases; and (7-1-21)T

Section 013 Page 23 IAC Archive 2020 C2

- iv. Litter. Effective measures shall be taken to minimize the loss of debris from the facility. Debris blown from or within the facility shall be collected and properly disposed to prevent objectionable accumulations.

 (7-1-21)T
- j. Bird Hazards to Aircraft. No facility may handle putresible wastes in such a manner that may attract birds and increase the likelihood of bird/aircraft collisions. Facilities that are located within ten thousand (10,000) feet of any airport runway used by turbojet aircraft, or within five thousand (5,000) feet of any airport used by only piston-type aircraft shall operate the facility in such a manner that birds are not a hazard to aircraft.(7-1-21)T
- **k.** Open Burning and Fires. Open burning is prohibited at facilities except as authorized by Section (7-1-21)T
- l. Storm Water Run-On/Run-Off Controls. The operating plan shall include sufficient storm water management provisions, which may incorporate a NPDES storm water pollution prevention plan, to prevent contamination of ground or surface water and prevent the spread and impact of contamination beyond the boundary of the facility.

 (7-1-21)T
- m. Variance Request. An owner and operator may submit to the Department a written variance request for a variance from the operating requirements listed in Section 013. The Department shall approve a written request for a variance provided the owner and operator demonstrate to the Department that the variance is at least as protective of human health and the environment as the requirements listed in Section 013. (7-1-21)T
- **Operating Plan**. The owner and operator of a Tier III facility shall submit to the Department an Operating Plan containing that information required by Subsection 013.03, within the time frames stated in Section 013. An Operating Plan shall include a description of the wastes to be accepted, the methods for maintaining compliance with each of the applicable general operating requirements of Subsection 013.03, and complies with any applicable facility specific requirements found in Subsections 013.11 through 013.13. (7-1-21)T
- **05. Ground Water Monitoring Requirements**. The owner and operator of a Tier III facility shall comply with the following ground water monitoring requirements: (7-1-21)T
- **a.** Install and maintain ground water monitoring wells at the point of compliance as approved by the Department; (7-1-21)T
- **b.** Within thirty (30) days of completion of each well, submit a copy of the geologic log and record of well construction to the Department; (7-1-21)T
- **c.** Monitor the ground water quarterly, unless otherwise directed by the Department. Constituents to be monitored shall be those listed in 40 CFR Part 257.24 unless otherwise authorized by the Department; and (7-1-21)T
- d. The owner and operator of any facility required to monitor ground water pursuant to Section 013 shall continue the approved monitoring schedule for five (5) years following facility closure, unless otherwise approved by the Department upon request of the owner and operator for a modified monitoring schedule. (7-1-21)T
- **06. Ground Water Monitoring Application**. The following information shall be submitted to the Department in a Ground Water Monitoring Application: (7-1-21)T
- **a.** A map showing soil types, depth to ground water, ground water flow direction and locations of proposed ground water monitoring wells; and (7-1-21)T
 - **b.** A monitoring schedule indicating sample frequency and constituents to be analyzed. (7-1-21)T
- **07. Closure Requirement**. The owner and operator of a Tier III facility shall comply with the following closure requirements: (7-1-21)T
 - **a.** Public Notice. For a facility open to the public the owner and operator shall provide public notice

Section 013 Page 24 IAC Archive 2020 C2

of the facility's closure by publishing a notice in the local newspaper and posting signs at the facility's entrance. This notice shall be published and the signs posted; (7-1-21)T

- i. At least thirty (30) days and no more than ninety (90) days prior to the date of last receipt of waste for a facility that has reached disposal capacity; or (7-1-21)T
- ii. If the facility has remaining capacity and there is a reasonable likelihood that the facility will receive additional waste, a notice shall be published and signs posted at least thirty (30) days and no more than ninety (90) days prior to closure. (7-1-21)T
- **b.** Facility Closure. Unless the Department establishes an alternate closure time period, the owner and operator shall close the facility within six (6) months of the Department's approval of the Closure Plan. The facility shall be closed in accordance with the approved Closure Plan. (7-1-21)T
- c. Clean Site/Access Control. The owner and operator shall close the facility by managing or removing all solid waste to prevent impact to human health or the environment and shall install a gate or other device to prevent public access after the last receipt of waste;

 (7-1-21)T
- **d.** Drainage and Erosion Control. The owner and operator shall install appropriate measures to control erosion and install appropriate measures to control the run-on and runoff from a twenty-five (25) year, twenty-four (24) hour storm event and to provide for the diversion of other surface waters from the closed facility; and (7-1-21)T
- e. Closure Plan Certification. Within thirty (30) days of closure, the owner and operator shall notify the department in writing that the facility was closed in accordance with the approved Closure Plan. If closure of the facility is different from the approved Closure Plan, the owner and operator shall submit for Department review and approval documents, such as "as-built" plans, showing the final conditions of the facility. (7-1-21)T
- **08.** Closure Plan Application. The owner and operator of a Tier III facility shall submit to the Department a Closure Plan Application containing the information no later than ninety (90) days before the date on which the facility receives the known final receipt of wastes or, if the facility has remaining capacity and there is a reasonable likelihood that the facility will receive additional wastes, no later than one (1) year after the most recent receipt of wastes. The following information shall be submitted to the Department in a Closure Application:

(7-1-21)T

- a. A complete and accurate legal description of the facility; (7-1-21)T
- **b.** A map of the facility, showing pertinent facility features, including: (7-1-21)T
- i. Facility boundaries, drainage patterns, location of fill areas, and location of access control measures; (7-1-21)T
- ii. All water courses, ponds, lakes, reservoirs, canals, irrigation systems, and existing water supplies, within one-quarter (1/4) mile of the facility boundary; (7-1-21)T
 - iii. Location of disposal trenches and description of waste disposed; and (7-1-21)T
- iv. Proposed final contours of the closed facility, drawn to a reasonable scale with five (5) foot intervals for the operational area, and ten (10) foot intervals for the remainder of the facility; (7-1-21)T
 - **c.** Estimated date of last receipt of waste; (7-1-21)T
 - **d.** A description of how public access to the closed facility will be controlled; (7-1-21)T
 - **e.** Estimated total cubic yards, or tons, of waste in place; (7-1-21)T
 - **f.** Total acreage of the facility and acres containing waste; (7-1-21)T

Section 013 Page 25 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

- g. Closure equipment and procedures to be used; (7-1-21)T
 h. Texture, depth and permeability of final cover material; (7-1-21)T
- i. Design and construction plan for any necessary final cover; (7-1-21)T
- j. Placement, design, and management of run-on and run-off storm water controls; (7-1-21)T
- **k.** Types of vegetation and planting procedures to be used for establishing vegetative cover; (7-1-21)T
- **l.** Details of any proposed changes to any existing groundwater monitoring system; (7-1-21)T
- **m.** Details of any proposed changes to any existing landfill gas control system; (7-1-21)T
- **n.** Details of any proposed changes to any existing leachate collection system; and (7-1-21)T
- o. Other closure information the Department determines is necessary to protect human health and the environment. (7-1-21)T
- **O9. Documentation Requirements**. The owner and operator of a Tier III facility shall maintain on site each Department-approved application required by Section 013. (7-1-21)T
- 10. Modification Application. The owner and operator shall submit to the Department a Modification Application describing the proposed modification no less than sixty (60) days prior to the proposed modification of the facility. The owner and operator of a Tier III facility shall not implement the modification prior to Department approval. If a proposed modification alters the classification of a facility, the owner and operator shall comply with the application content, review and approval requirements for the new classification. (7-1-21)T
- 11. Tier III Processing Facilities. In addition to the requirements in Subsections 013.01 through 013.10, the owner and operator of a Tier III processing facility shall comply with the following requirements:

(7-1-21)T

a. Odor Management Plan. The owner and operator of a Tier III processing facility shall implement a Department approved Odor Management Plan designed to minimize malodorous gases. An Odor Management Plan shall include specific operating criteria for oxygen, moisture and temperature levels appropriate for the wastes to be processed and processing technologies to be employed; methods used to maintain the specific operating criteria and a monitoring strategy that includes the frequency and parameters for monitoring the specific operating criteria;

(7-1-21)T

- **b.** Additional Requirements for PCS. Owners and operators of Tier III PCS processing facilities shall comply with the following applicable requirements: (7-1-21)T
 - i. Leachate collection and control system to prevent contamination of ground and surface waters; (7-1-21)T
- ii. Liner designed to prevent ground and surface water contamination. The liner design shall account for the types of wastes handled and the potential for migration of liquids and gaseous contaminants to ground water; and

 (7-1-21)T
 - iii. Air emission control system to prevent discharges of air pollutants. (7-1-21)T
- iv. An owner and operator of a PCS processing facility may submit a written request for a variance from the leachate control and liner requirements. The owner and operator must demonstrate that the variance is at least as protective of surface and ground water as the leachate collection system and liner. (7-1-21)T
- **c.** Design Application. The following information shall be submitted to the Department in a Design Application: (7-1-21)T

Section 013 Page 26 IAC Archive 2020 C2

i. Building and construction design blueprints;

(7-1-21)T

- ii. A map illustrating a storm water run-on/run-off system designed to prevent contamination of ground or surface water or and prevent contamination beyond the boundary of the facility; (7-1-21)T
- iii. Operational design and capacity information including a description of the waste types and projected daily and annual waste volumes; and (7-1-21)T
- iv. Design and Construction Requirements. The owner and operator of a Tier III PCS processing facility shall submit for Department review and approval the following information as part of the Design Application: (7-1-21)T
- (1) A hydrogeologic evaluation, including the potential for migration of contamination to ground or surface water; (7-1-21)T
 - (2) A detailed description of treatment methods to be used;

(7-1-21)T

- (3) Design plans for a leachate collection and control system to prevent ground and surface water contamination from the leachate control system; (7-1-21)T
 - (4) Design plans for an air emissions control system to prevent discharges of air pollutants; and (7-1-21)T
- (5) Design plans for a liner designed to prevent ground or surface water contamination. The liner design shall account for the types of wastes handled and the potential for migration of liquid and gaseous contaminants to ground water. (7-1-21)T
- **d.** Operating Plan. The owner and operator of a PCS processing facility shall submit for Department review and approval the following information as part of the Subsection 013.04, Operating Plan: (7-1-21)T
- i. A sampling plan that describes the methods and frequency that the owner and operator will use to sample and analyze the wastes when received, during processing, and on final testing of processed material; and (7-1-21)T
- ii. A description of how the owner and operator will maintain and operate the liner, leachate collection and control system, and air emission control system consistent with the approved design application. (7-1-21)T
- **e.** Documentation Requirement. The owner and operator of a processing facility shall maintain documentation of compliance with Section 013, including an operational log of the methods used to maintain the operating criteria and sampling results. (7-1-21)T
- 12. Tier III Incinerators. In addition to the requirements in Subsections 013.01 through 013.04 and Subsections 013.09 and 013.10, the owner and operator of a Tier III incinerator shall comply with the following requirements:

 (7-1-21)T
- a. Design Requirements. The owner and operator of an incinerator comply with the following design requirements: (7-1-21)T
- i. A tipping floor constructed of impermeable and durable material and designed to contain, collect, and convey any liquids to a storage or leachate management system. (7-1-21)T
 - ii. A storage or leachate management system. (7-1-21)T
- **b.** Design Application. The following information shall be submitted to the Department in a Design Application: (7-1-21)T

Section 013 Page 27 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

- i. A description of the tipping floor design; (7-1-21)T
- ii. A description of the storage or leachate management system design; (7-1-21)T
- iii. Building and construction design blueprints; (7-1-21)T
- iv. A map illustrating a storm water run-on/run-off system designed to prevent ground or surface water contamination, or contamination from the facility beyond the boundary of the facility; (7-1-21)T
- v. Operational design and capacity information including a description of the waste types and projected daily and annual waste volumes; and (7-1-21)T
 - vi. Any facility specific design elements required by these rules. (7-1-21)T
- **c.** Operating Requirements. The owner and operator of an incinerator shall comply with the following operating requirements: (7-1-21)T
 - i. Maintain and operate the tipping floor to control odors, insects, and rodents; (7-1-21)T
- ii. Implement cleaning procedures and waste residency times used to maintain sanitary conditions on the surface of the tipping floor; and (7-1-21)T
 - iii. Implement a storage or leachate management system operation. (7-1-21)T
- **d.** If it is determined that the tipping floor or leachate management system integrity has been breached, or waste has been handled or stored outside of the containment of the tipping floor, unless allowed in the facility Operating Plan, the owner and operator of the Tier III incinerator shall comply with Subsections 013.05 through 013.08. (7-1-21)T
- **13. Tier III NMSWLFs.** In addition to the requirements in Subsection 013.01 through 013.10, the owner and operator of a Tier III NMSWLF shall comply with the following requirements: (7-1-21)T
- **a.** Siting Requirements: A facility shall not be located in wetlands, except as provided in 40 CFR (7-1-21)T
- **b.** Siting Application. The owner and operator shall include in the Siting Application documentation demonstrating compliance with the requirement specified in Subsection 013.13.a.; (7-1-21)T
- **c.** Design and Construction Requirements: The owner and operator of a NMSWLF shall comply with the following design and construction requirements: (7-1-21)T
- i. Leachate Collection and Control System. A leachate collection and control system shall be constructed to prevent ground and surface water contamination; (7-1-21)T
- ii. Liner. A liner designed to prevent ground or surface water contamination shall be installed. The liner design shall account for the types of wastes handled and the potential for migration of liquid and gaseous contamination to ground or surface water; (7-1-21)T
- iii. Landfill Emission Control System. Appropriate toxic and flammable gas monitoring devices shall be installed where the location, geophysical condition, and waste characteristics indicate that there is a reasonable probability that the facility will generate toxic and flammable gas: exceeding twenty-five (25) percent of the lower explosive limit for gases in facility structures (excluding gas control or gas recovery system components); exceeding the lower explosive limit at the property boundary; or otherwise presenting a potential threat to public health or the environment; and
- iv. An owner or operator may submit a written request for a variance from the leachate collection and control system, liner, or emission control system requirements. The Department may approve the variance upon

Section 013 Page 28 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

demonstration by the owner or operator that the variance is at least as protective of human health and the environment as the leachate collection and control system, liner, or emission control system. (7-1-21)T

- **d.** Design Application. The following information shall be submitted to the Department in a Design Application: (7-1-21)T
- i. Design plans shall address the need for and include as required a leachate collection and control system, liner, and emission control systems in Subsection 013.13.c.; (7-1-21)T
 - ii. A facility map illustrating: (7-1-21)T
 - (1) Surface water and erosion control systems; (7-1-21)T
- (2) Proposed fill area, including the location of waste disposal trenches or cells, noting the locations of trenches used for separated wastes such as animal carcasses, tree trunks, stumps, bulky wastes, car bodies, asbestos, and petroleum contaminated soils; (7-1-21)T
 - (3) Location of borrow areas; (7-1-21)T
 - (4) Design elevation grade of final cover; (7-1-21)T
 - (5) Soil and water table test boring holes, wells, or excavations; (7-1-21)T
 - (6) Proposed receiving, storage, and processing areas; (7-1-21)T
 - (7) Proposed trench layout and development; and (7-1-21)T
- (8) Contour lines at five (5) foot intervals within the operating area and ten (10) foot intervals to the facility boundary. (7-1-21)T
 - (9) Building and construction design blueprints; (7-1-21)T
- (10) Operational design and capacity information including a description of the waste types and projected daily and annual waste volumes; and (7-1-21)T
- **e.** Operating Requirements: The owner and operator of a NMSWLF shall comply with the following operating requirements: (7-1-21)T
 - i. Compaction and placement of waste in locations consistent with the approved operations plan; (7-1-21)T
 - ii. Provision for storage of waste during periods when the NMSWLF is inaccessible; (7-1-21)T
- iii. Application of a six (6) inch compacted soil cover layer on exposed waste as necessary to prevent nuisance and vector conditions at periods consistent with the approved operations plan. An owner and operator may request that the Department approve an alternate cover that addresses vectors, litter, fire, odor, and scavenging concerns;

 (7-1-21)T
- iv. Placement of an interim cover layer of twelve (12) inches of compacted soil between lifts to provide erosion control and structural stability. An owner and operator may request that the Department approve an alternate interim cover that addresses erosion, and stability for subsequent lifts; (7-1-21)T
- v. Maintenance and operation of a leachate collection and control system and air emission control system consistent with the approved design application; and (7-1-21)T
 - vi. Preservation of existing vegetation where attainable. (7-1-21)T

Section 013 Page 29 IAC Archive 2020 C2

- **f.** Operating Plan. The operating plan required in Section 013 shall identify the methods used for maintaining compliance with each applicable operating requirement of Subsection 013.03. and Subsection 013.13.e. including but not limited to the type, the method of compaction and the frequency of application of respective cover materials;

 (7-1-21)T
- g. Closure Requirements. The owner and operator of a NMSWLF shall comply with the following closure requirements: (7-1-21)T
- i. Final Cover. Within seven (7) days of the date of last receipt of waste, a cover layer shall be applied to prevent nuisances and vector conditions. Within one hundred and twenty (120) days of the date of last receipt of waste, a final cover layer of eighteen (18) inches of compacted soil with an approved in-place permeability designed to minimize infiltration, or its functional equivalent, and, a six (6) inch soil layer that minimizes erosion and sustains plant growth shall be constructed; (7-1-21)T
- ii. Facility Stabilization. All disturbed portions of the facility shall be stabilized. Stabilization practices may include but are not limited to: establishment of vegetation, mulching, geotextiles, and sod stabilization; (7-1-21)T
- iii. Slope Stability. Finished grade shall be at a minimum of two percent (2%) and a maximum of thirty- three percent (33%) slope on the final surface of the completed fill area, after settlement; and (7-1-21)T
- iv. Drainage Control. The completed landfill shall be graded to prevent surface water ponding and erosion, and to conform to the local topography. (7-1-21)T

h. Environmental Covenants:

(7-1-21)T

- i. After completion and certification of closure of a NMSWLF, the owner and operator shall record an environmental covenant, pursuant to the Uniformed Environmental Covenants Act (UECA) Chapter 30, Title 55, Idaho Code, on the property where the landfill facility is located and its future use may be restricted in accordance with a post-closure care plan. A copy of the environmental covenant will be sent to the Department after recording with the county clerk.

 (7-1-21)T
- ii. The owner may request permission from the Department to remove the environmental covenant if all wastes are removed from the facility. (7-1-21)T
- iii. Federal agencies with responsibility for management of landfills on federal property shall make an environmental covenant or notation in the federal property records for the affected property. If the subject property is ever sold or transferred by the federal government, a notation on the deed or patent shall be made. (7-1-21)T
- i. Closure Plan. The owner and operator shall provide in the Closure Plan documentation that demonstrates compliance with closure requirements specified in Subsections 013.07 and 013.13.g. (7-1-21)T
- **j.** Post-Closure Care Plan. Owners and operators of a NMSWLF shall submit, in accordance with the time frames specified in Subsection 013.08, to the Department for review and approval a Post-Closure Care Plan, shall obtain Department approval of the Plan, and shall conduct post-closure care in accordance with the Plan:

(7-1-21)T

- i. Unless the Department determines otherwise, the Post-Closure Care Plan shall contain: (7-1-21)T
- (1) The name and address of an agent authorized to accept communications or service during the post-closure period. The name may be changed during the post-closure period by providing the Department with twenty (20) days advance written notice of the change; (7-1-21)T
 - (2) Provisions to maintain the integrity and effectiveness of the final cover; (7-1-21)T
- (3) Provisions to continue to maintain and operate the systems required in the operating plan, including: run-on/run-off control systems, leachate collection and control systems, groundwater monitoring systems,

Section 013 Page 30 IAC Archive 2020 C2

IDAPA 58.01.06 Solid Waste Management Rules

and gas monitoring systems;

(7-1-21)T

(4) Provisions to maintain appropriate security of the closed facility;

- (7-1-21)T
- (5) Provisions for routine facility inspections by the owner and operator to insure compliance with the Post-Closure Care Plan; and (7-1-21)T
 - (6) A description of the planned use(s) of the property during the post-closure care period. (7-1-21)T
- ii. Post-closure care for the NMSWLF shall be conducted for a minimum of five (5) years, but not more than thirty (30) years, as necessary to protect human health and the environment. (7-1-21)T
- iii. Post-Closure Standards and Inspection. Post-closure use or operation of the site shall not disturb any final cover, liner or other component of the containment system in a manner that will increase the potential to threaten human health or the environment. (7-1-21)T
- iv. The approved Post-Closure Care Plan shall be maintained and available for review on request by the Department. (7-1-21)T
- v. The requirements in Subsection 013.07 shall apply to owners and operators and their successors and assigns. (7-1-21)T

014. -- 031. (RESERVED)

032. TIER II AND TIER III APPLICATION AND PLAN REVIEW AND APPROVAL.

- **01. Application Submittal.** The owner and operator shall submit three (3) copies of each required application to the Department. The owner and operator may submit applications for siting, design, operation, or ground water monitoring approval sequentially or concurrently. (7-1-21)T
- **O2. Preapplication Conference.** The owner or operator may request that the Department convene a preapplication conference with any interested federal, state and local entities to discuss the approval procedures, application content, time tables for application processing, siting and design requirements. (7-1-21)T

03. Application Review.

(7-1-21)T

- a. On receipt of an application the Department shall, within thirty (30) days, notify the owner and operator in writing whether the submission is complete and whether the application identifies an appropriate Tier level. The notice shall identify any deficiencies in the application, and the information relied upon in making the determination, and shall state that an applicant may submit additional information in the form of an amended application, withdraw the application or request a conference to discuss the Department's determination. (7-1-21)T
- b. Upon receipt of the Department's determination that a siting application is complete, the owner and operator shall publish a notice in a newspaper of general circulation as determined in Section 31-819, Idaho Code, in the county and the immediate vicinity of the proposed facility and shall also provide notice to local government. The notice shall include the name and location of the proposed facility, a general description of the proposed operations, the location where the application may be reviewed, and instructions directing the public to submit comments to the Department within thirty (30) days of the date of publication. The owner and operator shall provide a copy of the published notice and notice to local government to the Department within five (5) business days of publication.

(7-1-21)T

- c. The Department shall approve, deny, or approve with conditions each application. Failure to issue a decision within the stated time shall be deemed approval. Approval conditions shall relate to protection of human health and the environment as required in these rules. (7-1-21)T
- i. For a siting application, the Department shall notify the owner and operator in writing of the Department's decision within thirty (30) days of the date of the close of the public comment period. The Department

Section 032 Page 31 IAC Archive 2020 C2

and the owner and operator may agree, in writing to a longer period of time for the Department's determination. Design, Operating and Ground Water Monitoring Applications shall not be reviewed until the Siting Application is approved.

(7-1-21)T

- ii. For the Design, Operating and Ground Water Monitoring applications, the Department shall notify the owner and operator in writing of the Department's decision within sixty (60) days from the date the application is determined to be complete. (7-1-21)T
- **d.** If the Department denies an application, the written decision shall state the basis for the denial, and the information relied upon in making the determination. (7-1-21)T
- **04. Application Valid for Two Years**. Unless otherwise stated in the Department's approval of the facility's application, the Department's approval shall become invalid if the owner and operator fail to begin construction within two (2) years from the date of approval, or if after construction has begun, work is suspended for more than two (2) years. Owners and operators may apply for an extension provided that the written request is received by the Department no less than one (1) month prior to expiration of the approval. Within fifteen (15) days from Department receipt of extension request, the Department shall approve the extension request or deny the extension request and state the basis for denial. (7-1-21)T

033. -- 059. (RESERVED)

060. VIOLATIONS.

- **01. Failure to Comply.** Failure by any person to comply with the provisions of these rules shall be deemed a violation of these rules. (7-1-21)T
- **O2. Falsification of Statements and Records**. It shall be a violation of these rules for any person to knowingly make a false statement, representation, or certification in any application, document, or record developed, maintained, or submitted pursuant to these rules or the conditions of an approval. (7-1-21)T
- **03. Penalties.** Any person violating any provision of these rules or any approved conditions or order issued thereunder shall be liable for civil penalty in accordance with Title 39, Chapter 1, Idaho Code. (7-1-21)T

061. OPEN BURNING AND FIRES.

Open burning is prohibited at facilities except as authorized by IDAPA 58.01.01, "Rules for the Control of Air Pollution in Idaho," and the following: (7-1-21)T

- **01. No Open Burning During an Air Pollution Episode**. No open burning may be conducted during an air pollution episode, declared in accordance with IDAPA 58.01.01, "Rules for the Control of Air Pollution in Idaho";

 (7-1-21)T
- **O2.** Conditions Under Which Open Burning Authorized. Open burning is authorized only if it is infrequent and the materials are agricultural wastes, silviculture wastes, land clearing debris, diseased trees, or debris from emergency cleanup operations. Materials burned may not include garbage, dead animals, asphalt, petroleum products, paints, tires or other rubber products, plastics, paper (other than that necessary to start the fire), cardboard, treated wood, construction debris, metal, pathogenic wastes, hazardous wastes, or any other substance (other than natural vegetation) that when burned releases toxic emissions, dense smoke or strong odors; and (7-1-21)T
- 03. Contact Department and Local Fire Authority Prior to Conducting Open Burning. Open burning may be conducted pursuant to conditions set forth by the Department or local fire authority. The owner and operator of the facility must contact the Department and the local fire authority prior to conducting open burning to report its nature and location.

 (7-1-21)T

062. -- 993. (RESERVED)

994. COMMERCIAL SOLID WASTE SITING LICENSE FEE.

An application for a commercial solid waste siting license required by the Idaho Solid Waste Facilities Act shall be

Section 060 Page 32 IAC Archive 2020 C2

accompanied by a siting license fee in an amount established by these rules. The license fee shall not exceed seven thousand five hundred dollars (\$7,500) and shall be submitted with the siting license application. (7-1-21)T

- **O1.** Commercial Solid Waste Siting License Fee Criteria. The commercial solid waste siting license fee required by the Idaho Solid Waste Facilities Act and these rules shall apply to commercial MSWLFs only and shall be based on the cost of the Department's review and the characteristics of the proposed commercial solid waste facility, including the projected site size, projected waste volume, and the hydrogeological and atmospheric characteristics surrounding the site.

 (7-1-21)T
- **O2.** Commercial Solid Waste Siting License Fee Scale. The commercial solid waste siting license fee required by the Idaho Solid Waste Facilities Act and these rules shall be determined using the table below. The fee determined using the table below may then be adjusted by the Department if necessary to reflect the cost of the Department's review, taking into account the hydrogeological and atmospheric characteristics surrounding the site.

COMMERCIAL SOLID WASTE SITING LICENSE FEE SCALE PROJECTED SOLID WASTE VOLUME Tons per day (TPD)			
Site Size	Up to 20 TPD	20 to 100 TPD	More than 100 TPD
5 acres or less	\$3,500	\$4,500	\$5,500
5 to 50 acres	\$4,500	\$5,500	\$6,500
more than 50 acres	\$5,500	\$6,500	\$7,500

(7-1-21)T

- **03. Notification of Adjustment of Fee.** Within thirty (30) days of receipt of the application and fee, the Department shall notify the applicant if the fee has been adjusted and the date by which any additional fee must be paid by the applicant. (7-1-21)T
- **04.** Expansion or Enlargement of a Commercial Solid Waste Facility. The expansion or enlargement of a commercial solid waste facility constitutes a new proposal for which a commercial solid waste siting license is required and for which a siting license fee must be paid. All commercial solid waste facilities not in operation on March 20, 1996 must submit a commercial solid waste license application and fee. (7-1-21)T
- **05.** Commercial Solid Waste Siting License Fee Not Refundable. The commercial solid waste siting license fee required by the Idaho Solid Waste Facilities Act and by these rules shall not be refundable and may not be applied toward any subsequent application should the commercial solid waste siting license application be canceled, withdrawn or denied.

 (7-1-21)T

995. COMMERCIAL SOLID WASTE SITING LICENSE APPLICATION.

In addition to the contents of a Siting License Application as required in the Idaho Solid Waste Facilities Act, these rules require the applicant to include in the application the following items: (7-1-21)T

01. Location. A map indicating the location of the proposed commercial solid waste facility;

(7-1-21)T

- **02.** Copies of Application. Ten (10) copies of the completed application; and
- (7-1-21)T
- **O3.** Application Format. A copy of the application in a format prepared for photocopying. (7-1-21)T

996. -- 998. (RESERVED)

999. CONFIDENTIALITY OF RECORDS.

Information obtained by the Department under these rules is subject to public disclosure pursuant to the provisions of Chapter 1, Title 74, Idaho Code. Information submitted under a trade secret claim may be entitled to confidential treatment by the Department as provided in Section 74-114, Idaho Code, and IDAPA 58.01.21, "Rules Governing the Protection and Disclosure of Records in the Possession of the Department of Environmental Quality." (7-1-21)T

Section 995 Page 33 IAC Archive 2020 C2

Subject Index

\mathbf{A}	Modification Application 26	Lift 6
Abbreviations, IDAPA 58.01.06 8	Operating Plan 24	Modification 6
BRC, Below Regulatory	Siting Application 22	Municipal Solid Waste Landfill
Concern 8	Tier III Incinerators 27	Unit (MSWLF) 6
CFR' Code of Federal	Tier III NMSWLFs 28	Non-Municipal Solid Waste
Regulations 8	Tier III Processing Facilities 26	(NMSW) 6
EPA, Environmental Protection	В	Non-Municipal Solid Waste
Agency 9	Below Regulatory Concern	Landfill (NMSWLF) 7
ISWFA, Idaho Solid Waste	Facilities 11	Open Burning 7
Facilities Act 9	Applicable Requirements 11	Operator 7
MSWLF, Municipal Solid Waste	Application Content, Review &	Owner 7
Land Fill 9	Approval Requirements 12	Person 7
NMSW, Non-Municipal Solid	Documentation Requirements 12	Point of Compliance 7
Waste 9	•	Processing Facility 7
NMSWLF, Non-Municipal Solid	\mathbf{C}	Projected Waste Volume 7
Waste Land Fill 9	Commercial Solid Waste Siting License	Pumpable Waste 7
PCS, Petroleum Contaminated	Application 33	Qualified Professional, Geologist
Soils 9	Application Format 33	or Engineer 7 Recyclables 7
RCRA, Resource Conservation	Copies of Application 33	Recycling 7
and Recovery Act 9	Location 33	Recycling Center 7
U.S.C., United States Code 9	Commercial Solid Waste Siting License	Salvage 7
Administrative Appeals 4	Fee 32	Scavenge 8
Applicability 4	Commercial Solid Waste Siting	Septage 8
Applicable Requirements For Tier I Facilities 12	License Fee Criteria 33	Site 8
Applicable Requirements 12	Commercial Solid Waste Siting	Site Size 8
Application Content, Review &	License Fee Not	Solid Waste 8
Approval Requirements 13	Refundable 33	Speculative Accumulation 8
Documentation Requirements 13	Commercial Solid Waste Siting License Fee Scale 33	Storm Water 8
Applicable Requirements For Tier II	Expansion or Enlargement of a	Surface Water 8
Facilities 13	Commercial Solid Waste	Tipping Floor 8
Closure Plan Application 16	Facility 33	Toxic Leachate or Gas 8
Closure Requirement 15	Notification of Adjustment of	Transfer Station 8
Documentation Requirements 17	Fee 33	Very Small Quantity Generator
General Operating	Confidentiality Of Records 33	(VSQG) Hazardous Waste 5
Requirements 14		Very Small Quantity Generator
General Siting Requirements 13	D	(VSQG) Management
Modification Application 17	Definitions, IDAPA 58.01.06 4	Facility 5
Operating Plan 15	Active Portion 4	Wood or Mill Yard Debris
Siting Application 13	Backyard Composting 4	Facility 8
Tier II Incinerators, VSQG	Beneficial Use 5	Yard Waste 8
Management Facility & Transfer	Commercial Solid Waste	I
Stations 18	Facility 5	Incorporation By Reference 9
Tier II NMSWLF 19	Composting Facility 5	1
Tier II Processing Facilities 17	Contamination 5	L
Applicable Requirements For Tier III	Degradation 5 Department 5	Legal Authority 3
Facilities 21	Director 5	0
Closure Plan Application 25	Disposal 5	Open Burning & Fires 32
Closure Requirement 24 Documentation Requirements 26	Facility 6	Conditions Under Which Open
General Operating	Garbage 6	Burning Authorized 32
Requirements 22	Ground Water 6	Contact Department & Local Fire
General Siting Requirements 21	Household Waste 6	Authority Prior to Conducting
Ground Water Monitoring	Incinerator 6	Open Burning 32
Application 24	Inert Waste 6	No Open Burning During an Air
Ground Water Monitoring	Landfill 6	Pollution Episode 32
Requirements 24	Leachate 6	

Requirements 24

S

Solid Waste Management Facility
Classification 9
BRC Facilities 9
General & Site Specific
Classification Process 11
Site Specific Classification 10
Tier I Facilities 9
Tier II Facility 10
Tier III Facility 10
Wood or Mill Yard Debris
Facilities 10

T

Tier II & Tier III Application & Plan
Review & Approval 31
Application Review 31
Application Submittal 31
Application Valid for Two
Years 32
Preapplication Conference 31
Title & Scope 3
Scope 3
Scolid Waste Management
Facilities Not Regulated Under
These Rules 4
Title 3
Wastes Not Regulated Under
These Rules 3

V

Violations 32
Failure to Comply 32
Falsification of Statements & Records 32
Penalties 32